



Bid Number: GEM/2022/B/1834428

Dated: 11-01-2022

### **Bid Document**

Bid Details			
Bid End Date/Time         22-01-2022 17:00:00			
Bid Opening Date/Time	22-01-2022 17:30:00		
Bid Life Cycle (From Publish Date)	90 (Days)		
Bid Offer Validity (From End Date)	75 (Days)		
Ministry/State Name	Ministry Of Education		
Department Name	Department Of Higher Education		
Organisation Name	Indian Institute Of Science Education And Research (iisers)		
Office Name	Pune 411008		
Total Quantity	1456		
Item Category	Enamelled round copper wire as per IS:13730:(Part 0 / Sec.1) (Q3) , Disposable Syringes as per IS: 10258 & IS: 10258 (Q4) , Network Theorem Kit For Educational Purpose (Q3)		
MSE Exemption for Years of Experience and Turnover	No		
Startup Exemption for Years of Experience and Turnover	No		
Document required from seller	Bidder Turnover, Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer		
Bid to RA enabled	No		
RCM Applicable	Yes		
Primary product category	Network Theorem Kit For Educational Purpose		
Time allowed for Technical Clarifications during technical evaluation	2 Days		
Estimated Bid Value	230000		
Evaluation Method	Total value wise evaluation		

### **EMD Detail**

Required	l No
Required	140

### ePBG Detail

Required No	·	
	Required	No

### **Splitting**

Bid splitting not applied.

#### **MII Purchase Preference**

MII Purchase Preference	No
-------------------------	----

#### **MSE Purchase Preference**

MSE Purchase Preference	Yes
-------------------------	-----

- 1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total OUANTITY.
- 2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

#### Section 9(3) Of GST

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM, unregistered seller, seller registered under composition scheme) will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

### Enamelled Round Copper Wire As Per IS:13730:(Part 0 / Sec.1) ( 2 kilogram )

Brand Type	Registered Brand	

### **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)  Grade 1 without bonding layer	
GENERIC	Type and Grade of Enamelled round copper wire		

Specification	Specification Name	Bid Requirement (Allowed Values)
	Nominal conductor diameter without bonding layer (in mm)	0.800
	Nominal conductor diameter with a bonding layer (in mm)	Not applicable for wires without bonding layer
	Packaging	Wound on plastic spools
	Standard length (in Mtrs)	NA

ITC on	ITC on GST	RCM	GST as per	GST Cess 1 as	GST Cess 2 as	Optional
GST	Cess	Applicable	RCM	per RCM	per RCM	RCM
NA	NA	Yes	18%	NA	NA	Yes

### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	2	15

## Enamelled Round Copper Wire As Per IS:13730:(Part 0 / Sec.1) ( 5 kilogram )

Brand Type	l Registered Brand	
I Brana Type	[ Negistered Brand	

## **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)

ITC on	ITC on GST	RCM	GST as per	GST Cess 1 as	GST Cess 2 as	Optional
GST	Cess	Applicable	RCM	per RCM	per RCM	RCM
NA	NA	Yes	18%	NA	NA	

## **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	5	15

## Disposable Syringes As Per IS: 10258 & IS: 10258 ( 360 pieces )

Brand Type Registered Brand		Registered Brand
-----------------------------	--	------------------

## **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)
Performance Parameters	Type of Syringe	Sterile hypodermic syringe for single use without needle
	Syringes confirming to Indian Standard (IS 10258 (Part 3) 2010 identical/equivalent to ISO 7886 Part 3)	IS 10258-2002 latest for Sterile Hypodermic Syringe for single use with and without needle
	Nominal capacity of Syringe(ml)	3
	BIS Marking	No
	Needles confirming to Indian Standard (IS 10654:2002 is identical/equivalent to ISO 7864)	IS 10654:2002 latest for sterile hypodermic needles for single use
	Syringe type based on Number of pieces	2 piece
DIMENSIONAL &	Material of Barrel	Polypropylene
MATERIAL PARAMETERS	Material of Plunger	Polypropylene

Specification	Specification Name	Bid Requirement (Allowed Values)
	Material of gasket (For 3 piece)	NA
	Material of Needle Tube (As per ISO 9626)	Stainless Steel

ITC on	ITC on GST	RCM	GST as per	GST Cess 1 as	GST Cess 2 as	Optional
GST	Cess	Applicable	RCM	per RCM	per RCM	RCM
NA	NA	Yes	18%	NA	NA	Yes

## **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	360	15

# Disposable Syringes As Per IS: 10258 & IS: 10258 ( 360 pieces )

Brand Type	Registered Brand
------------	------------------

## **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)
Performance Parameters	Type of Syringe	Sterile hypodermic syringe for single use without needle
	Syringes confirming to Indian Standard (IS 10258 (Part 3) 2010 identical/equivalent to ISO 7886 Part 3)	IS 10258(Part -3):2010 latest for Autodisable syringes for fixed dose immunization
	Nominal capacity of Syringe(ml)	10

Specification	Specification Name	Bid Requirement (Allowed Values)
	BIS Marking	No
	Needles confirming to Indian Standard (IS 10654:2002 is identical/equivalent to ISO 7864)	NA
	Syringe type based on Number of pieces	3 piece
DIMENSIONAL &	Material of Barrel	Polypropylene
MATERIAL PARAMETERS	Material of Plunger	Polypropylene
	Material of gasket (For 3 piece)	Synthetic rubber
	Material of Needle Tube (As per ISO 9626)	Stainless Steel

ITC on	ITC on GST	RCM	GST as per	GST Cess 1 as	GST Cess 2 as	Optional
GST	Cess	Applicable	RCM	per RCM	per RCM	RCM
NA	NA	Yes	18%	NA	NA	Yes

## **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	360	15

# Disposable Syringes As Per IS: 10258 & IS: 10258 ( 360 pieces )

Brand Type	Registered Brand
------------	------------------

### **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)
Performance Parameters	Type of Syringe	Sterile hypodermic syringe for single use without needle
	Syringes confirming to Indian Standard (IS 10258 (Part 3) 2010 identical/equivalent to ISO 7886 Part 3)	IS 10258-2002 latest for Sterile Hypodermic Syringe for single use with and without needle
	Nominal capacity of Syringe(ml)	50
	BIS Marking	No
	Needles confirming to Indian Standard (IS 10654:2002 is identical/equivalent to ISO 7864)	IS 10654:2002 latest for sterile hypodermic needles for single use
	Syringe type based on Number of pieces	2 piece
DIMENSIONAL &	Material of Barrel	Polypropylene
MATERIAL PARAMETERS	Material of Plunger	Polypropylene
	Material of gasket (For 3 piece)	Rubber
	Material of Needle Tube (As per ISO 9626)	Stainless Steel

ITC on	ITC on GST	RCM	GST as per	GST Cess 1 as	GST Cess 2 as	Optional
GST	Cess	Applicable	RCM	per RCM	per RCM	RCM
NA	NA	Yes	18%	NA	NA	

## Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
-------	---------------------------------	---------	----------	---------------

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	360	15

# **Network Theorem Kit For Educational Purpose (180 pieces)**

Brand Type	Registered Brand
------------	------------------

## **Technical Specifications**

\* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
FEATURES AND FUNCTIONALITY PARAMETERS	Availability of On Board Circuit for	3.Study and verification of Maximum Power Transfer Theorem, 5.Study and verification of Reciprocity theorem, 6. Study and verification of Tellegen's Theorem, 8. Kirchoff voltage law
	Number of variable DC power supply available on board	2
	Availability of DC Voltmeter available on board	Yes
	Availability of DC Ammeter on board	Yes
TEST CERTIFICATION AND PAST EXPERIENCE	Whether the offered kit tested at Central Govt / NABL approved / ILAC accredited Lab, any NABL accredited lab, govt lab/international lab to prove conformity to the specification	Yes
GENERIC PARAMETERS	Warranty of Network Theorem kit	3

## Input Tax Credit(ITC) and Reverse Charge(RCM) Details

ITC on GST RCM GST as per GST GST Cess Applicable RCM pe	Cess 1 as GST Cess 2 as Per RCM RCM RCM
--	---

ITC on	ITC on GST	RCM	GST as per	GST Cess 1 as	GST Cess 2 as	Optional
GST	Cess	Applicable	RCM	per RCM	per RCM	RCM
NA	NA	Yes	18%	NA	NA	

## **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	180	15

## **Network Theorem Kit For Educational Purpose (90 pieces)**

Brand Type	Registered Brand
------------	------------------

## **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)
FEATURES AND FUNCTIONALITY	Availability of On Board Circuit for	10. Others
PARAMETERS	Number of variable DC power supply available on board	1
	Availability of DC Voltmeter available on board	Yes
	Availability of DC Ammeter on board	Yes
TEST CERTIFICATION AND PAST EXPERIENCE	Whether the offered kit tested at Central Govt / NABL approved / ILAC accredited Lab, any NABL accredited lab, govt lab/international lab to prove conformity to the specification	No
GENERIC PARAMETERS	Warranty of Network Theorem kit	1

ITC on	ITC on GST	RCM	GST as per	GST Cess 1 as	GST Cess 2 as	Optional
GST	Cess	Applicable	RCM	per RCM	per RCM	RCM
NA	NA	Yes	18%	NA	NA	Yes

## **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	90	15

## **Network Theorem Kit For Educational Purpose (90 pieces)**

Brand Type	Registered Brand
------------	------------------

## **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)
FEATURES AND FUNCTIONALITY	Availability of On Board Circuit for	10. Others
PARAMETERS	Number of variable DC power supply available on board	1
	Availability of DC Voltmeter available on board	Yes
	Availability of DC Ammeter on board	Yes
TEST CERTIFICATION AND PAST EXPERIENCE	Whether the offered kit tested at Central Govt / NABL approved / ILAC accredited Lab, any NABL accredited lab, govt lab/international lab to prove conformity to the specification	No
GENERIC PARAMETERS	Warranty of Network Theorem kit	1

ITC on	ITC on GST	RCM	GST as per	GST Cess 1 as	GST Cess 2 as	Optional
GST	Cess	Applicable	RCM	per RCM	per RCM	RCM
NA	NA	Yes	18%	NA	NA	Yes

## **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	90	15

## **Network Theorem Kit For Educational Purpose (9 pieces)**

Brand Type	Registered Brand	
------------	------------------	--

### **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)
FEATURES AND FUNCTIONALITY	Availability of On Board Circuit for	10. Others
PARAMETERS	Number of variable DC power supply available on board	1
	Availability of DC Voltmeter available on board	Yes
	Availability of DC Ammeter on board	Yes
TEST CERTIFICATION AND PAST EXPERIENCE	Whether the offered kit tested at Central Govt / NABL approved / ILAC accredited Lab, any NABL accredited lab, govt lab/international lab to prove conformity to the specification	No

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC PARAMETERS	Warranty of Network Theorem kit	1

ITC on	ITC on GST	RCM	GST as per	GST Cess 1 as	GST Cess 2 as	Optional
GST	Cess	Applicable	RCM	per RCM	per RCM	RCM
NA	NA	Yes	18%	NA	NA	

### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	9	15

# **Buyer Added Bid Specific Terms and Conditions**

#### 1. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

#### 2. Sample Clause

After award of contract – Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit 1 samples for Buyer's approval, within 5 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 5 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample – the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller.

Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

#### 3. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

#### 4. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

### 5. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

#### 6. Generic

**Upload Manufacturer authorization:** Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.

### 7. Warranty

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 10 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

#### 8. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

#### 9. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

### 10. Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

### **Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

#### This Bid is also governed by the General Terms and Conditions

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---