

Bid Document

Bid Details	
Bid End Date/Time	28-03-2022 16:00:00
Bid Opening Date/Time	28-03-2022 16:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Education
Department Name	Department Of Higher Education
Organisation Name	Indian Institute Of Science Education And Research (iisers)
Office Name	Pune 411008
Total Quantity	42
Item Category	Revolving Chair (Q3) , Almirah Steel-IS:3312 (Q3) , Metal Shelving Racks-IS:1883 (Q3)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Certificate (Requested in ATC), OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Primary product category	Metal Shelving Racks-IS:1883
Time allowed for Technical Clarifications during technical evaluation	2 Days
Evaluation Method	Total value wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

MII Purchase Preference

MI Purchase Preference	No
------------------------	----

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Revolving Chair (2 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	Proppylene
	seat material	PU Foam covered with Fabric
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	NA
	Material of Fabric Back Cover / Material for Backrest	Innner frame Upholstered with Mesh fabric and mounted on main assembly
	Material of Fabric of Seat Cover	100% polyester fabric
	GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	250 gram

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERAL	Chair Type	knee tilt synchronic
	Tilt Tension Adjustment	Yes
	Height Adjustment $\pm 5(\text{mm})$	up to 100 mm
	Arm	With
	Type of backrest support	Backrest With Adjustable Lumber Support
	Arm Type	Adjustable
	Colour of Fabric for Seat and Backrest	black
	Ergonomic Seat Design	Yes
	Back type	push back
	Backrest is made of two pcs injection moulded frame	Backrest is made of one piece injection moulded frame
	backrest has separate adjustable headrest	Yes
	Seat type	fixed
	Seat is curved	Yes
	Locking mechanism	Yes
	Type of locking	4-Position Locking
	Number of arm movement	2(up & down)
	Lumber support	integrated
DIMENSION	Overall Chair Height $\pm 15\text{mm}$	1140
	Backrest Height $\pm 15\text{mm}$	650.0
	Backrest Width $\pm 10\text{mm}$	440.0
	Seat Height $\pm 15 \text{ mm}$	450
	Seat Width $\pm 10 \text{ mm}$	480
	Seat Depth $\pm 10 \text{ mm}$	520.0
	Thickness of MS Plate Joining the under structure with Seat	1.2
	Thickness of Plywood used in Seat $\pm 1(\text{mm})$	12 mm
	Thickness of Plywood used in Backrest $\pm 1(\text{mm})$	N.A
	Padestal Size (Diameter in mm) +/- 10 mm	650
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	45 mm

Specification	Specification Name	Bid Requirement (Allowed Values)
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	N.A
WARANTEE	Warrantee period in number of years	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	BIFMA Certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES
	Green guard certification	NO
	Aiota	YES

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008, Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	2	45

Revolving Chair (30 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size

Specification	Specification Name	Bid Requirement (Allowed Values)
	Arm Material	Proppylene
	seat material	PU Foam covered with Fabric
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	45
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	NA
	Material of Fabric Back Cover / Material for Backrest	Innner frame Upholstered with Mesh fabric and mounted on main assembly
	Material of Fabric of Seat Cover	100% polyester fabric
	GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	250 gram
GENERAL	Chair Type	central tilt
	Tilt Tension Adjustment	Yes
	Height Adjustment $\pm 5(\text{mm})$	up to 100 mm
	Arm	With
	Type of backrest support	backrest symmetrical lumber support
	Arm Type	Fixed
	Colour of Fabric for Seat and Backrest	black
	Ergonomic Seat Design	Yes
	Back type	push back
	Backrest is made of two pcs injection moulded frame	Backrest is made of one piece injection moulded frame
	backrest has separate adjustable headrest	No
	Seat type	fixed
	Seat is curved	Yes
	Locking mechanism	Yes
	Type of locking	upright locking
	Number of arm movement	N.A
	Lumber support	N.A
DIMENSION	Overall Chair Height $\pm 15\text{mm}$	990
	Backrest Height $\pm 15\text{mm}$	730.0
	Backrest Width $\pm 10\text{mm}$	440.0
	Seat Height $\pm 15 \text{ mm}$	420

Specification	Specification Name	Bid Requirement (Allowed Values)
	Seat Width ± 10 mm	480
	Seat Depth ± 10 mm	480.0
	Thickness of MS Plate Joining the under structure with Seat	1.2
	Thickness of Plywood used in Seat ± 1 (mm)	12 mm
	Thickness of Plywood used in Backrest ± 1 (mm)	N.A
	Padestal Size (Diameter in mm) +/- 10 mm	650
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	50 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	N.A
WARANTEE	Warrantee period in number of years	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	BIFMA Certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES
	Green guard certification	NO
	Aiota	YES

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	30	45

Almirah Steel-IS:3312 (5 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Material	M.S sheet conforming to commercial quality CR-1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	Material of Almirah Doors	M S Sheet
	Sheet Thickness of Locker	N.A
	Length of Glass Sheet (+/- 10 mm)	N.A
	Width of Glass Sheet (+/- 10 mm)	N.A
	Sheet Thickness of door	0.8 mm (Minimum)
	Sheet Thickness of sides,back , Top and Bottom	0.8 mm (Minimum)
	Sheet Thickness of Shelves	0.7 mm
	Sheet Thickness of Pedestal in mm	1.0 mm
	Material of Lock	lock having made of steel with zinc plated finish having brass levers and MAZAK / ZAMAK bolts having zinc plated finish along with MAZAK / ZAMAK handle
	Material of Keys	keys made of MAZAK / ZAMAK having nickle plated finish
GENERIC	Conformity to Indian Standard IS:3312 latest	No
	No of shelves (Nos)	4
	Type of Shelves	Adjustable
	Locker Provided	No
	Locking System with the locker	NA

Specification	Specification Name	Bid Requirement (Allowed Values)
	Number of Doors (Nos)	2
	Door Stiffner upto full door height Provided with the almirah doors	Yes
	Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement	3
	Number of Glass Sheet fixed in each Almirah door (Nos)	N.A
	Construction	Welded
	Lock	Three Way bolting device controlled by 6 lever lock
DIMENSION	Height (Without Pedestal) (in mm) (+/- 10 mm)	1855
	Width (+/- 7 mm)	910.0
	Depth (+/- 5 mm)	486.0
	Inside Height of Locker (+/- 5 mm)	N.A
	Inside Width of Locker (+/- 5 mm)	N.A
	Inside Depth of Locker (+/- 5 mm)	N.A
	Width of Stiffner (+/- 5 mm)	125 mm
	Thickness of MS Sheet of Stiffner	0.6 mm
	Stiffened Pedestal height in mm (± 2 mm)	125
	Pedestal Width in mm (± 2 mm)	75
COLOUR & FINISH	Finish	powder coated
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	2

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008, Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	5	45

Metal Shelving Racks-IS:1883 (5 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Type	CLOSED FROM SIDES ONLY
	Pigeon Holes	without
	Number of Shelves/Compartments (Top / Ceiling Shelf - not to be counted)	5
MATERIAL	Shelves Material	0.8 mm Thick MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513
	Sides, Back and Partition Wall Thickness (Minimum) (mm)	MS Sheet 0.8 mm
DIMENSION	Depth in mm (±5 mm)	600
	Width in mm (±5 mm)	900
	Height in mm (±5 mm)	1875
	Bin Strip Height in mm (±1 mm)	Not Provided
CERTIFICATION	Conformity to Indian Standard	NOT AS PER IS
MISC	Paint	Powder coated
	Colour	dove gray
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008, Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	5	45

Buyer Added Bid Specific Terms and Conditions

1. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

2. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

3. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

4. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

5. Certificates

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): ISO 14001:2015, ISO 45001:2018, ISO 5001:2018, Manufacturer should be member of BIFMA Level-3, Green Guard, AIOTA, OHSAS 18001:2007. Upload all details of offered product with images, dimensions, technical details, material details of each product is mandatory. Also submit test report such as Base Test, Static Test, Drop Test, Dynamic seating Durability, Back Test, Tilt Mechanism, Vertical/Horizontal /Inclined arm strength, Static load material etc.

6. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

7. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

8. Sample Clause

After award of contract – Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit 1 samples for Buyer's approval, within 5 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 10 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample – the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller.

Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---