भारतीय विज्ञान शिक्षा एवं अनुसंधान संरथान पुणे INDIAN INSTITUTE OF SCIENCE EDUCATION AND RESEARCH PUNE

डॉ. होमी भामा मार्ग, पुणे 411008, महाराष्ट्र, भारत | Dr. Homi Bhabha Road, Pune 411008, Maharashtra, India T +91 20 2590 8001 W www.liserpune.ac.in



शुद्धिपत्र

CORRIGENDUM

कोटेशन का पुन: आमंत्रण

RECALL OF QUOTATION

कार्य का नाम: लेक्चर हॉल कॉम्प्लेक्स, आईआईएसईआर पुणे में स्टेज लाइट के लिए लाइट डिमिंग कंट्रोलर प्रदान करना

Name of Work: Providing Light Dimming Controller for Stage Light at Lecture hall Complex, IISER Pune

विषय: कोटेशन का पुन: आमंत्रण

SUBJECT: RECALL OF QUOTATION

एनआईक्यू नंबर: 54(2)आईआईएसईआर/पुणे/2023-24/123 दिनांक 17/08/2023

NIQ NUMBER: 54(2)/IISER/Pune/2023-24/123 dated 17/08/2023

इसके साथ संलग्न उपर्युक्त कोटेशन को संलग्न करने की संशोधित तिथि के साथ वापस लिया जाता है। बोलीदाता इसे

नोट करेगा और तदनुसार बोली लगाएगा।

Above mentioned quotation enclosed herewith is recalled with revised date of submission as appended. Bidder shall take note of it and quote accordingly.

Call	Date of submission प्रस्तुत करने की तारीख	
आमंत्रण	Existing / मौजूदा	Revised / संशोधित
First Call / पहला बुलावा		NA/एन .ए
	17/08/2023	
Second Call / दूसरा बुलावा		05/09/2023
2 3	29/08/2023	

बोलीदाता को एनआईक्यू दस्तावेज़ के अनुसार हस्तलिखित कोटेशन भरना होगा और आईआईएसईआर पुणे को ऊपर निर्दिष्ट अनुसार नियत तारीख और समय में जमा करना होगा।

Bidder to fill handwritten quotation as per NIQ document and submit to IISER Pune in due date and time as specified above.

एनआईक्यू दस्तावेज़ के 'नियम और शर्तों और अनुबंध-ए बीओक्यू' में कोई बदलाव नहीं।

No change in 'Terms and conditions and Annex-A BOQ' of NIQ document.

बोलीदाता से अनुरोध है कि इसे नोट करें और तदनुसार बोली लगाएं। ऊपर निर्दिष्ट कोटेशन जमा करने की तिथि को १५:३० बजे बोलियां खोली जाएंगी।

Bidder are requested take note of it and quote accordingly. Bids will be opened on 15.30 Hrs on the date of submission of quotation specified above.

जारी करने की तिथि: 29/08/2023

Date of Issue: 29/08/2023

Superintending Engineer,

आईआईएसईआर पुणे

IISER Pune



भारतीय विज्ञान शिक्षा एवं अनुसंधान संस्थान पुणे

INDIAN INSTITUTE OF SCIENCE EDUCATION AND RESEARCH PUNE

(शिक्षा मंत्रालय, भारत सरकार की एक स्वायत्त संस्था)

(An Autonomous Institution Ministry of Education, Govt. of India)

IISER Pune Campus, Dr. Homi Bhaba Road, Pune-411 008.

आईआईएसईआर पुणे कैंपस, डॉ. होमी भाबा रोड, पुणे-411 008।

No: 54(2) /IISER/Pune/2023-24/ 123

Dated 17 / 08 / 2023

<u>कोटेशन आमंत्रण सूचना</u> NOTICE INVITING QUOTATION

सीपीडब्ल्यूडी, महाराष्ट्र राज्य पीडब्ल्यूडी, रेलवे और एमईएस में से किसी के साथ पंजीकृत अनुमोदित और पात्र ठेकेदारों से 24/08/2023 को दोपहर 3.00 बजे तक नीचे उल्लिखित कार्य के लिए निदेशक, आईआईएसईआर पुणे की ओर से अधोहस्ताक्षरी द्वारा मुहरबंद कोटेशन आमंत्रित किए जाते हैं। इलेक्ट्रिकल (बी एंड सी) कार्यों के लिए उपयुक्त श्रेणी में या लाइट डिमिंग नियंत्रक के लिए सेवा डीलर/आपूर्तिकर्ता। कोटेशन उसी दिन अपराह्न 3.30 बजे खोली जाएंगी।

Sealed quotations are hereby—invited by the undersigned on behalf of the Director, IISER Pune for the work mentioned below up to 3.00 PM on 24/08/2023 from approved and eligible contractors registered with anyone of CPWD, Maharashtra State PWD, Railways, and MES in appropriate category for electrical (B&C) works or service dealer / supplier for Light Dimming controller. The quotations will be opened at 3.30 PM on the same day.

कार्य का नाम: - लेक्चर हॉल कॉम्प्लेक्स, आईआईएसईआर पुणे में स्टेज लाइट के लिए लाइट डिमिंग कंट्रोलर प्रदान करना ।

इसे दे दो -एजेंसी का नाम और पता -

NAME OF WORK: - Providing Light Dimming Controller for Stage Light at Lecture hall complex, IISER Pune.

Issue to – Name and address of the agency –

Stamp and Sign of Agency



नियम और शर्तें:

- 1) आवेदक को इलेक्ट्रिकल (बी एंड सी) कार्यों के लिए उचित श्रेणी में सीपीडब्ल्यूडी, महाराष्ट्र राज्य पीडब्ल्यूडी, रेलवे और एमईएस में से किसी के साथ अनुमोदित और पंजीकृत ठेकेदार या लाइट डिमिंग नियंत्रक के लिए सेवा डीलर / आपूर्तिकर्ता होना चाहिए। आवेदक को कोटेशन के साथ कार्य आदेश या पूर्णता प्रमाण पत्र की प्रति के साथ ग्राहक विभाग से पिछले दो वर्षों के भीतर पूरे किए गए कार्य के अनुभव प्रमाण पत्र की सत्यापित या नोटरीकृत प्रतियां जमा करनी चाहिए। न्यूनतम पात्रता मानदंडों को पूरा नहीं करने वाले बोलीदाताओं को सरसरी तौर पर अस्वीकार कर दिया जाएगा।
- 2) कार्य पूरा करने की समयाविध आईआईएसईआर पुणे द्वारा कार्य आदेश देने की तारीख से 45 दिन होगी। कोटेशन खुलने के बाद पीछे हटने का कार्य ऐसी एजेंसियों को आईआईएसईआर पुणे के भविष्य के कोटेशन में भाग लेने से रोक देगा। बोली लगाने वाला अपने प्रश्नों को Maintenance@iiserpune.ac.in पर ई-मेल कर सकता है या ऊपर बताए अनुसार कोटेशन जमा करने की तारीख से एक दिन पहले सभी कार्य दिवसों पर हार्ड कॉपी में IISER पुणे कार्यालय में जमा कर सकता है।
- 3) कोटेशन आमंत्रण सूचना (एनआईक्यू) दस्तावेज आईआईएसईआर पुणे से 121, इंजीनियरिंग अनुभाग, मुख्य भवन, आईआईएसईआर पुणे परिसर, डॉ. होमी भाभा रोड, पाषाण, पुणे 411008 पर सभी कार्य दिवसों पर सुबह 10 बजे से शाम 4 बजे के बीच प्राप्त किया जा सकता है। जमा करने की तिथि। आवेदक IISER PUNE वेबसाइट http://www.iiserpune.ac.in/links/tender-notices-and-eoi से NIQ दस्तावेज़ प्राप्त करके कोटेशन जमा कर सकते हैं।
- 4) सभी एजेंसियों को अपना कोटेशन एक सीलबंद लिफाफे में हार्ड कॉपी में जमा करना होगा जिसमें खंड 1 में उल्लिखित योग्यता दस्तावेज और उद्धृत दरों के साथ हस्ताक्षर, स्टांप, एनआईक्यू दस्तावेज इस कार्यालय में जमा करने की अंतिम तिथि और समय से पहले उचित माध्यम से जमा करने होंगे। ऊपर निर्दिष्ट तिथि और समय के बाद प्राप्त कोटेशन स्वीकार नहीं किया जाएगा। किसी भी देरी, डाक विलम्ब आदि पर विचार नहीं किया जाएगा। एजेंसी को बीओक्यू में सभी वस्तुओं के लिए उद्धरण देना चाहिए। बोली मूल बोली दस्तावेज़ (जैसा कि आईआईएसईआर, पुणे द्वारा जारी किया गया है) में काम का नाम लिखकर जमा की जाएगी। कार्यों में उद्धृत दरों को एल1 बोलीदाता के निर्णय के लिए अंतिम माना जाएगा। कोटेशन उसी दिन (24/08/2023) अपराह 3:30 बजे एजेंसी या उनके अधिकृत प्रतिनिधियों, यदि कोई हो, की उपस्थित में खोले जाएंगे।
- 5) कोटेशन उसी दिन अपराह्न 3.30 बजे एजेंसी या उनके अधिकृत प्रतिनिधियों, यदि कोई हो, की उपस्थिति में खोले जाएंगे। एजेंसी का प्रस्ताव व्यावसायिक रूप से स्पष्ट होना चाहिए जिसमें एजेंसी द्वारा इस कोटेशन के सभी नियमों और शर्तों को स्वीकार किया जाना शामिल है। आईआईएसईआर पुणे बिना कोई कारण बताए कोटेशन को स्वीकार या अस्वीकार करने का अधिकार सुरक्षित रखता है।
- 6) किसी भी शर्त के साथ प्रस्तुत किए गए कोटेशन को सशर्त कोटेशन के रूप में माना जाएगा और आईआईएसईआर पुणे द्वारा सरसरी तौर पर खारिज कर दिया जाएगा।



- 7) उद्धृत दरों में सभी सामग्रियों की लागत, श्रम लागत, जीएसटी, सभी कर, चुंगी, शुल्क, नमूने की लागत और प्रयोगशालाओं में सामग्रियों के परीक्षण की फीस, रॉयल्टी आदि शामिल होनी चाहिए। अलग से कुछ भी अतिरिक्त भुगतान नहीं किया जाएगा। कोई भी बोलीदाता बोली खुलने के समय से कार्य आदेश जारी होने के समय तक अपनी बोली से संबंधित किसी भी मामले पर आईआईएसईआर पुणे से संपर्क नहीं करेगा। बोलीदाता द्वारा आईआईएसईआर के बोली मूल्यांकन, बोली तुलना या अनुबंध पुरस्कार निर्णयों को प्रभावित करने के किसी भी प्रयास के परिणामस्वरूप उसकी बोली को अस्वीकार किया जा सकता है।
- 8) सभी स्वीकृत निर्माण बीओक्यू में निर्दिष्ट होंगे और सीपीडब्ल्यूडी विनिर्देशों के अनुसार, एजेंसी को तकनीकी डेटा रखना चाहिए और काम शुरू करने से पहले आईआईएसईआर पुणे की विभिन्न सामग्रियों के निर्माण पर पूर्व अनुमोदन प्राप्त करना चाहिए। सफल एजेंसी कार्य पूरा होने के मद्देनजर कार्य के लिए सभी उपकरणों और टैकल आदि की अपनी व्यवस्था स्वयं करेगी। एजेंसी को एक स्रोत पर बिजली निःशुल्क प्रदान की जाएगी, एजेंसी को स्रोत से कार्य स्थान तक बिजली के सुरक्षित दोहन की व्यवस्था स्वयं करनी होगी। आईआईएसईआर पुणे द्वारा कोई अग्रिम भुगतान नहीं किया जाएगा। उद्धृत दरें जीएसटी, टीडीएस और अन्य लागू करों सहित होनी चाहिए। काम के बिल से इनकम टैक्स और लेबर सेस काटा जाएगा.
- 9) बीओक्यू, नवीनतम सीपीडब्ल्यूडी विनिर्देश, आईएस विनिर्देशों और आईआईएसईआर पुणे के निर्देश के अनुसार किए जाने वाले कार्य के लिए विशिष्टता, जब भी विनिर्देश सीपीडब्ल्यूडी/आईएस विनिर्देश उपलब्ध नहीं हैं।
- 10) ठेकेदार यह सुनिश्चित करेगा कि श्रमिक और कर्मचारियों को श्रम कानूनों के अनुसार न्यूनतम मजदूरी का भुगतान किया जाना चाहिए। सभी आवश्यक सुरक्षा उपकरणों आदि के साथ कार्य के निष्पादन के दौरान निर्धारित मानदंडों के अनुसार एल1 एजेंसी द्वारा मापी गई सभी सुरक्षा का पालन किया जाएगा। निष्पादन एजेंसी सुरक्षा मानदंडों और संबद्ध मुआवजे आदि के सख्त पालन के लिए पूरी तरह से तकनीकी-व्यावसायिक रूप से जिम्मेदार होगी।
- 11) एजेंसी को काम पूरा होने के 30 दिनों के भीतर भुगतान के लिए आईआईएसईआर पुणे को माप और सार शीट जमा करनी चाहिए।
- 12) एजेंसी को कार्य के निष्पादन के दौरान सभी सुरक्षा उपायों का पालन करना चाहिए, कोई भी दुर्घटना होने पर एजेंसी की जिम्मेदारी होगी।

Terms and Conditions:

The applicant should be approved and contractors registered with anyone of CPWD, Maharashtra State PWD, Railways, and MES in appropriate category for electrical (B&C) works or service dealer / supplier for Light Dimming controller. Applicant should submit attested or notarized copies of the experience certificate for the work completed within last two years from client department with copy of

Stamp and Sign of Agency



- completion certificate to along with the quotation. Bidders not meeting the minimum eligibility criteria shall be summarily rejected.
- 2) Time period for completion of work shall be 45 days from the date of placing the work order by IISER Pune. The act of backing-out after opening of quotation will debar such agencies for participating in the future quotations of IISER PUNE. Bidder may e-mail queries on maintenance@iiserpune.ac.in or submit to IISER PUNE office in hard copy on all working days one day before submission date of quotation as specified above.
- 3) Notice Inviting Quotation (NIQ) document may be obtained from IISER PUNE at 121, Engineering Section, Main Building, IISER PUNE Campus, Dr. Homi Bhabha Road, Pashan, Pune 411008 between 10 AM to 4 PM on all working days before date of submission. Applicant may submit quotation by obtaining NIQ document from IISER PUNE website at http://www.iiserpune.ac.in/links/tender-notices-and-eoi
- 4) All agencies need to submit their quotation in hard copy in a sealed envelope containing qualification documents mention in Clause 1 and sign, Stamp, NIQ documents with quoted rates to this office by suitable means on and before last date and time of submission. Quotation received after the date and time specified above shall not be accepted. Any delays, postal delay etc will not be entertained. Agency should quote for all the items in the in the BOQ. The bid shall be submitted in the original Bid document (as issued by the IISER, Pune) super scribing the name of the work. Rates quoted in the works shall be treated as final for deciding L1 bidder. Quotations will be opened on the same day (24/08/2023) at 3:30 PM in the presence of agency or their authorized representatives, if any..
- Quotations will be opened on the same day at 3.30 PM in the presence of agency or their authorized representatives, if any. The offer of the agency should be commercially clear including acceptance of all terms and conditions of this Quotation by the agency. IISER Pune reserves the right to accept or reject the quotation/s without assigning any reasons.
- 6) Quotations submitted with any conditions shall be treated as conditional quotations and shall be summarily be rejected by IISER PUNE.
- Quoted rates should be inclusive of cost of all the materials, labour cost, GST, all taxes, octroi, duties, cost of sample and fees towards testing of materials in labs, royalties etc. complete. Nothing extra shall be paid separately. No Bidder shall contact the IISER Pune on any matter relating to his bid from the time of the bid opening to the time of issue of work order. Any effort by the Bidder to influence the IISER's bid evaluation, bid comparison or contract award decisions, may result in the rejection of his bid.
- 8) All approved makes shall be as specified in BOQ and as per CPWD specifications, agency should put-up technical data and obtain prior approval on makes of various

Stamp and Sign of Agency

materials of IISER PUNE before taking-up work. The successful agency shall make his own arrangement for all Tools & tackles for work etc complete in view of completion of work. Electricity shall be provided free of cost to agency at one source, agency should make own arrangement to safely tap of power from source to work location. No advance payment shall be made by IISER Pune. Quoted rates should be including GST, TDS and other applicable taxes. Income Tax and labour cess will be deducted from the bills of the work.

- 9) Specification for the work to be carried out as per BOQ, latest CPWD specification, IS specifications & as per instruction of IISER PUNE whenever specification CPWD/ IS specification are not available.
- 10) The contractor shall ensure that minimum wages should be paid to the labour and employees in accordance with labour laws. All the safety measured shall be followed by the L1 agency as per prescribed norms during execution of work with all the necessary safety tools etc. Executing Agency shall sole techno-commercially responsible for the strict adherence of safety norms and allied compensations etc.
- 11) Agency should submit measurements and abstract sheets to IISER PUNE for the payments within 30 days from completion of work.
- 12) The agency should follow all safety measures during the execution of the work, any mishap happen will be on responsibility of agency.

अधीक्षण अभियंता आईआईएसईआर पुणे Superintending Engineer, IISER Pune



Schedule of Quantity

Name of the work: - Providing Light dimming controller for Stage light at Lecture half complex, IISER Pune.

Supply, Installation, testing and commissioning of Light controller for stage light, which is suitable for configuration with easting DMX12 Channel Dimmer Pack of 20 A per Supply (Installation with easting DMX12 Channel Dimmer Pack of 20 A per Supply (Installation and easting DMX12 Channel Signature addess & Swop Pannilt & Reversed channel output & Channel Valler & Channel Va	Sr.NO.	Desciption	Qty	Unit	Rate in Rs. (In figure and Words)	Amount
Supply, Installation, testing and commissioning of ught controller for stage light, which is stitible for configuration with existing DMX12 Channel Dimmer Pack of 20 A per channel is stitible for configuration with existing DMX12 Channel Dimmer Pack of 20 A per channel : 1024 2. Feature : min 36 3. Channels for each fixture : min 36 primary + min 36 fine tune 4. Library : Atleast must support Avoilite Pearl R20 library supported 5. Repeats for the simulation of scenes : Minimum Fade in/out, LTP slope 6. Scene : min 03 8. Scenes to run simulateously: min 03 8. Scenes to run simulateously: min 03 9. Scene step : Min 20 10. Time control of scenes : Minimum Galino, LTP slope 11. Shapes for each excene : Minimum O3 12. Scene and dimmer by silder : Ves 13. Interlocked scene : S 14. Master Silder Button controlled scene : Atleast Global, playback, fixture 15. Shape generator : Qubal, playback, fixture 16. Shapes to run simultaneously: Min 03 17. Master silder : Global, playback, fixture 18. Real time backour & Channel value by wheel & Channel value by silder : Yes 19. Olimmer by silder : Yes 10. USB Port : Yes 10. USB Port : Yes 11. Monds Rs.						
is suitable for configuration with existing DMX12 Channel Dirmmer Pack of 20 A per Channel, whate Uteporter, Model Dx-1227, Qty Minimum 24 nos. Specifications: 1. DMX channel: 1024 2. Fixture: nim 36 3. Channels for each fixture: mim 36 primary + mim 36 fine tune 4. Library: Atleast must support Avoilte Pearl R20 library supported 5. Reparticle fixture address & Swop Pannilt & Reversed channel output & Channel 6. Seemes to runs immaneously: mim 03 8. Seemes to runs immin 24 9. Seemes to runs immum Fade in/out, LTP slope 11. Shapes for each excere: Minimum 03 12. Seemes to runs immultaneously: mim 03 8. Seemes to runs immultaneously: mim 03 9. Seemes to runs immunum 54 12. Shapes for each excere: Minimum 03 13. Shapes for each excere: Minimum 03 14. Shapes for each excere: Minimum 03 15. Shapes for each excere: Minimum 03 16. Shapes to run simultaneously: Min 03 17. Master Silder: Yes 18. Shapes to run simultaneously: Min 03 17. Master Silder: Yes 18. Shapes to run simultaneously: Whin 03 19. Dimmer by silder: Yes 10. USB Port: Yes 10. USB Port: Yes 10. USB Port: Yes 11. Monds Rs.		Supply, Installation, testing and commissioning of Light controller for stage light, which				
channel, Make Uteputer, Model Dr-1227, Qty Minimum 24 nos. Specifications: 1. DMX channel: 1024 2. Fixture: min 96 3. Channels for each fixture: min 36 primary + min 36 fine tune 4. Library: Atleast must support Avolite Pearl R20 library supported 5. Repatched Fixture address & Swop Pannilt & Reversed channel output & Channel 5. Scenes must 40 7. Scenes to run: min 40 8. Scenes to run: min 03 8. Scenes to run: min 03 8. Scenes sum in 40 7. Scenes will minum 03 8. Scenes will minum 03 9. Scenes to run simultaneously: min 03 9. Scene size i. Min 240 10. Timapes for each scene: Minimum 03 11. Shapes for each scene: Minimum 03 12. Scene and dimmer by sider: yes 13. Interforded scene: 5 14. Master Silder is Global, playback, fixture 15. Shape generator: yes 16. Shapes generator: yes 16. Shapes generator: yes 17. Master silder: Solobal, playback, fixture 18. Shapes to run simultaneously: Min 03 17. Master silder: Solobal, playback, fixture 18. Real time blackout & Channel value by wheel & Channel value by silder: yes 19. Oinmer by silder: yes 10. USB Port: yes 10. USB Port: yes 11. Marke: Pearl 1024 B / Jester / Lite puter) Flease note that quoted rates are inclusive of all taxes, labour, transporatation etc. Nothling extra shall be paid separately. (In Words Re.		is suitable for configuration with existing DMX12 Channel Dimmer Pack of 20 A per				
Specifications: . 1. DMX channel : 1024 2. Fixture : min 96 3. Channels for each fixture : min 36 primary + min 36 fine tune 4. Library : Atleast must support Avoilite Pearl R20 library supported 5. Re-parthed Fixture address & Swop Pannilt & Reversed channel output & Channel 5. Re-parthed Fixture address & Swop Pannilt & Reversed channel output & Channel 5. Scene : min 40 7. Scene stor un simultaneously : min 03 8. Scene stor un simultaneously : min 03 9. Scene stor un simultaneously : min 03 11. Shapes for each scene : Minimum Fade in/out, LTP slope 11. Shapes for min simultaneously : Min 03 12. Scene addimmer by silder : Yes 13. Interlocked scene : Store in simultaneously : Min 03 12. Shape generator : yes 13. Interlocked scene : Store in simultaneously : Min 03 13. Master silder : Global, playback, fixture 14. Master silder : Global, playback, fixture 15. Shapes generator : Yes 16. Shapes to run simultaneously : Min 03 17. Master silder : Global, playback, fixture 18. Real time blackout & Channel value by wheel & Channel value by silder : Yes 20. USB Port : Yes (Make : Pearl 1024 B / Jester / Lite puter) Please note that quoted rates are inclusive of all taxes, labour, transporatation etc. Nothling extra shall be paid separately. (In Words Rs.		channel , Make Liteputer , Model Dx-1227, Qty Minimum 24 nos.				
2. Flowtre in 1904 3. Channels for each fixture: min 36 primary + min 36 fine tune 4. Library: Atleast must support Avolite Pearl R20 library supported 5. Channels for each fixture address & Swop Pannilt & Reversed channel output & Channel 5. Re-patched Fixture address & Swop Pannilt & Reversed channel output & Channel 6. Scene step modification; Yes 6. Scene step: Min 240 7. Scenes to run simultaneously: min 03 9. Scene step: Min 240 10. Time control of scenes: Minimum 63 11. Shapes for each scene: Minimum 03 12. Scene and dimmer by silder: Yes 13. Interlocked scene: S 13. Interlocked scene: S 13. Interlocked scene: S 14. Master Silder (Button controlled scene: Atleast Global, playback, fixture 15. Shape generator: Global, playback, fixture 15. Shape generator: Global, playback, fixture 15. Shape generator: Global, playback, fixture 16. Shape generator: Global, playback, fixture 17. Master silder: Sea (Make: Pearl 1004 B / Jester / Lite puter) 19. Olimmer by silder: Yes 20. USB Port: Yes 20. USB Port: Yes 20. USB Port: Yes 20. Whiting extra shall be paid separately.		Specifications: .				
3. Channels for each fluture: min 36 primary + min 36 fine tune 4. Library: Atfeast must support Avoilte Pearl R20 library supported 5. Re-patched Fixture address & Swop Pannitt & Reversed channel outputt & Channel 5. Re-patched Fixture address & Swop Pannitt & Reversed channel output & Channel 6. Scene: min 03 7. Scenes tor run: min 03 8. Scenes tor run: min 03 9. Scene step: Min 240 10. Time control of scenes: Minimum 63 11. Schapes for each scene: Minimum 03 12. Scene and dimmer by silder: Yes 13. Interlocked scene: Min 03 14. Master Silder / Button controlled scene: Atleast Global, playback, fluture 15. Shapes generator: Yes 15. Shapes tor run simultaneously: Min 03 17. Master silder: Yes 18. Shapes tor run simultaneously: Min 03 17. Master silder: Yes 18. Channel value by wheel & Channel value by silder: Yes 19. Olimmer by silder: Yes 10. USB Port: Yes 10. USB Port: Yes 10. USB Port: Yes 11. Mards Rs. 12. Mards Rs. 13. Mards Rs.		1. DMX channel: 1024				
3. Channels for each fixture a min 36 primary + min 36 fine tune 4. Library : Atteast must support Avolite Pearl R20 library supported 5. Re-patched Fixture address & Swop Pannit & Reversed channel output & Channel 5. Re-patched Fixture address & Swop Pannit & Reversed channel output & Channel 6. Scene : min 40 7. Scenes to run : min 03 8. Scenes to run in min 03 8. Scene step : Min 20 9. Scene step : Min 20 10. Time control of scene : Minimum 03 11. Shapes for each scene : Minimum 03 12. Scene and dimmer by silder : Yes 13. interlocked scene : 5 14. Master Silder by Ustron controlled scene : Atleast Global, playback, fixture 15. Shape generator : yes 16. Shapes to run simultaneously: Min 03 17. Master silder : Global, playback, fixture 18. Real time blackout & Channel value by wheel & Channel value by silder : Yes 19. Olimmer by silder : Yes 20. USB Port : Sea re inclusive of all taxes, labour, transporatation etc. Nothling extra shall be paid separately.		2. Fixture: mln 96				
4. Library: Atleast must support Avolite Pearl R20 library supported 5. Repatched Fixture address & Swop Pannilt & Reversed channel output & Channel slope modification; yes 6. Scene: min 40 7. Scenes to run : min 03 8. Scenes to run : min 03 9. Scene step: min 40 11. Shapes for each scene: Minimum Fade in/out, LTP slope 11. Shapes for each scene: Minimum 03 12. Scene and dimmer by slider: yes 13. Interlocked scene: 5 14. Master Silder / Button controlled scene: Atleast Global, playback, fixture 15. Shape generator: yes 16. Shapes to run simultaneously: Min 03 17. Master silder: Global, playback, fixture 18. Real time blackout & Channel value by wheel & Channel value by slider: Yes 19. Olmmer by slider: Yes 20. USB Port: Yes 20. USB Port: Yes 20. USB Port: Ses 31. Words Rs.		3. Channels for each fixture: mln 36 primary + mln 36 fine tune				
5. Re-patched Fixture address & Swop Pannilt & Reversed channel output & Channel slope modification; Yes 6. Scene: min 40 7. Scenes to run: min 03 8. Scenes to run simultaneously: min 03 9. Scene step: Minimum Fade in/out, LTP slope 11. Shapes for each scene: Minimum 03 12. Scene and dimmer by silder: Yes 3 13. interlocked scene: 5 14. Master Silder / Button controlled scene: Atleast Global, playback, flxture 15. Shape generator: yes 15. Shape generator: yes 16. Shape generator: yes 17. Master Silder: Global, playback, fixture 18. Real time blackout & Channel value by wheel & Channel value by silder: Yes 20. USB Port: Yes (Make: Pearl 1024 B / Jester / Lite puter) 19. Olmmer by silder: Yes (Make: Pearl 1024 B / Jester / Lite puter) 19. Please note that quoted rates are inclusive of all taxes, labour, transporatation etc. Nothling extra shall be paid separately. If In Words Rs.		4. Library : Atleast must support Avolite Pearl R20 library supported				
slope modification; Yes 6. Scene: min 40 7. Scenes to run : min 03 8. Scenes to run : min 03 8. Scenes to run : min 03 9. Scene step : Min 240 10. Time control of scenes : Minimum 63e in/out, LTP slope 11. Shapes for each scene : Minimum 03 12. Scene and dimmer by silder : Yes 13. Interlocked scene : Minimum 03 12. Scene and dimmer by silder : Yes 13. Interlocked scene : Minimum 03 14. Master silder / Button controlled scene : Atleast Global, playback, fixture 15. Shape generator : Yes 15. Shape generator : Yes 16. Shapes to run simultaneously: Min 03 17. Master silder : Global, playback, fixture 18. Real time blackout & Channel value by wheel & Channel value by silder: Yes 19. Olmmer by silder : Yes 20. USB Port seem of All taxes, labour, transporatation etc. Nothing extra shall be paid separately.		5. Re-patched Fixture address & Swop Pannilt & Reversed channel output & Channel				
6. Scene : min 03 7. Scenes to run : min 03 8. Scenes to run : min 03 8. Scenes to run simultaneously : min 03 9. Scene step : Min 240 10. Time control of scene : Minimum Fade in/out, LTP slope 11. Shapes for each scene : Minimum 03 12. Scene and dimmer by slider : Yes 13. Interlocked scene : 5 14. Master Slider / Button controlled scene : Atleast Global, playback, flxture 15. Shape generator : Yes 16. Shapes to run simultaneously: Min 03 17. Master slider : Global, playback, fixture 18. Real time blackout & Channel value by wheel & Channel value by slider: Yes 19. Olimmer by slider : Yes 20. USB Port : Yes Please note that quoted rates are inclusive of all taxes, labour, transporatation etc. Nothling extra shall be paid separately. (In Words Rs.		slope modification; Yes				
7. Scenes to run simultaneously; min 03 8. Scenes to run simultaneously; min 03 8. Scene step: MIn 240 10. Time control of scenes: Minimum Fade in/out, LTP slope 11. Shapes for each scene: Minimum 03 12. Scene and dimmer by slider: Yes 13. Interlocked scene: Minimum 03 12. Scene and dimmer by slider: Yes 13. Interlocked scene: Minimum 03 12. Scene and dimmer by slider: Yes 13. Interlocked scene: Minimum 03 14. Shapes generator: Yes 15. Shape generator: Yes 16. Shapes to run simultaneously; Min 03 17. Master slider: Global, playback, fixture 18. Real time blackout & Channel value by wheel & Channel value by slider: Yes 19. Olimmer by slider: Yes 20. USB Port: Yes 19. Olimmer by slider: Yes 20. USB Port: Yes 19. Olimmer by slider: Yes 20. USB Port: Yes 20. USB Port: Ses 20. USB		6. Scene: min 40				
8. Scenes to run simultaneously: min 03 9. Scene step: Min 240 10. Time control of scenes: Minimum Fade in/out, LTP slope 11. Shapes for each scene: Minimum 03 12. Scene and dimmer by silder: Yes 13. interlocked scene: 5 14. Master Silder: With controlled scene: Atleast Global, playback, fixture 15. Shape generator: yes 16. Shape generator: yes 17. Master silder: Global, playback, fixture 18. Real time blackout & Channel value by wheel & Channel value by silder: Yes 19. Dimmer by silder: yes 20. USB Port: Yes 19. Dimmer by silder: yes 20. USB Port: Yes 19. Dimmer by silder: yes 20. USB Port: Yes 20. USB Port: Yes 20. USB Port: Sex (Inclusive of all taxes, labour, transporatation etc. Nothling extra shall be paid separately. (In Words Rs.		7. Scenes to run: min 03				
Viln 240 ach scene : Minimum Fade in/out, LTP slope ach scene : Minimum 03 immer by slider : Yes scene : 5 ir / Button controlled scene : Atleast Global, playback, fixture arcor : yes in simultaneously: Min 03 r : Global, playback, fixture sckout & Channel value by slider: Yes in simultaneously: Min 03 r : Global, playback, fixture sckout & Channel value by wheel & Channel value by slider: Yes ilider: Yes (Make: Pearl 1024 B / Jester / Lite puter.) Total Amount Rs. (Inclusive of All taxes) at quoted rates are inclusive of all taxes, labour, transporatation etc. Nothing extra shall be paid separately.	Н	8. Scenes to run simultaneously: min 03	1	Nos		
l of scenes: Minimum Fade in/out, LTP slope ach scene: Minimum 03 immer by slider: Yes scene: 5 ir / Button controlled scene: Atleast Global, playback, flxture arcor: yes in simultaneously: Min 03 ir : Global, playback, flxture sckout & Channel value by slider: Yes in simultaneously: Min 03 ir : Global, playback, flxture sckout & Channel value by wheel & Channel value by slider: Yes ilider: Yes (Make: Pearl 1024 B / Jester / Lite puter.) Total Amount Rs. (Inclusive of All taxes) at quoted rates are inclusive of all taxes, labour, transporatation etc. Nothling extra shall be paid separately.		9. Scene step: Min 240				
ach scene: Minimum 03 immer by slider: Yes scene: 5 ir / Button controlled scene: Atleast Global, playback, fixture artor: yes in simultaneously: Min 03 r: Global, playback, fixture sckout & Channel value by slider: Yes askout & Channel value by wheel & Channel value by slider: Yes fider: Yes (Make: Pearl 1024 B / Jester / Lite puter) Total Amount Rs. (Inclusive of All taxes) at quoted rates are inclusive of all taxes, labour, transporatation etc. Nothing extra shall be paid separately.		10. Time control of scenes : Minimum Fade in/out, LTP slope				
scene: 5 scene: 5 scene: 5 scene: 5 scene: 6 scene: 6 scene: 7 sido		11. Shapes for each scene : Minimum 03				
scene:5 It / Button controlled scene: Atleast Global, playback, fixture ator: yes In simultaneously: Min 03 In simultaneou		12. Scene and dimmer by slider: Yes				
ator : yes in simultaneously : Min 03 r : Global, playback, fixture in simultaneously : Min 03 r : Global, playback, fixture ackout & Channel value by wheel & Channel value by slider : Yes silder : Yes (Make : Pearl 1024 B / Jester / Lite puter) Total Amount Rs. (Inclusive of All taxes) at quoted rates are inclusive of all taxes, labour, transporatation etc. Nothing extra shall be paid separately.		13. interlocked scene: 5				
ator : yes In simultaneously: Min 03 r : Global, playback, fixture ackout & Channel value by slider: Yes slider : Yes (Make: Pearl 1024 B / Jester / Lite puter) Total Amount Rs. (Inclusive of All taxes) at quoted rates are inclusive of all taxes, labour, transporatation etc. Nothing extra shall be paid separately.		14. Master Slider / Button controlled scene : Atleast Global, playback, flxture				
n simultaneously: Min 03 r : Global, playback, fixture skout & Channel value by sluder: Yes slider : Yes slider : Yes (Make: Pearl 1024 B / Jester / Lite puter) Total Amount Rs. (Inclusive of All taxes) at quoted rates are inclusive of all taxes, labour, transporatation etc. Nothing extra shall be paid separately.		15. Shape generator : yes				
r : Global, playback, fixture sckout & Channel value by slider : Yes silder : Yes (Make : Pearl 1024 B / Jester / Lite puter) Total Amount Rs. (Inclusive of All taxes) at quoted rates are inclusive of all taxes, labour, transporatation etc. Nothing extra shall be paid separately.		16. Shapes to run simultaneously: Min 03				
sckout & Channel value by wheel & Channel value by slider: Yes slider: Yes (Make: Pearl 1024 B / Jester / Lite puter) Total Amount Rs. (Inclusive of All taxes) at quoted rates are inclusive of all taxes, labour, transporatation etc. Nothing extra shall be paid separately.		17. Master slider : Global, playback, fixture				
ilider : Yes (Make : Pearl 1024 B / Jester / Lite puter) Total Amount Rs. (Inclusive of All taxes) at quoted rates are inclusive of all taxes, labour, transporatation etc. Nothing extra shall be paid separately.		18. Real time blackout & Channel value by wheel & Channel value by slider: Yes				
fes (Make: Pearl 1024 B / Jester / Lite puter) Total Amount Rs. (Inclusive of All taxes) Total Amount Rs. (Inclusive of all taxes, labour, transporatation etc. Nothing extra shall be paid separately.		19. Olmmer by slider : Yes				
Total Amount Rs. (Inclusive of All taxes) at quoted rates are inclusive of all taxes, labour, transporatation etc. Nothing extra shall be paid separately.						
Total Amount Rs. (Inclusive of all taxes, labour, transporatation etc. Nothing extra shall be paid separately.						
Please note that quoted rates are inclusive of all taxes, labour, transporatation etc. Nothing extra shall be paid separately.		Total Amount Rs.	(Inclusive o	f All taxes)	Rs.	
I In Words Rs		Please note that quoted rates are inclusive of all taxes, labour, transporatation etc	c. Nothing	xtra shall be	oaid separately.	
		{ In Words Rs		-		



Superintending IISER Pune

Stamp & Sign of Agency