

**कोटेशन आमंत्रित करने की सूचना**

**NOTICE INVITING QUOTATION**

सीपीडब्ल्यूडी, महाराष्ट्र राज्य पीडब्ल्यूडी, रेलवे, एमईएस के साथ पंजीकृत योग्य ठेकेदारों से 3/7/2024 को अपराह्न 3.00 बजे तक नीचे उल्लिखित कार्य के लिए निदेशक, आईआईएसईआर पुणे की ओर से अधोहस्ताक्षरी द्वारा दो लिफाफा प्रणाली में मुहरबंद कोटेशन आमंत्रित किए जाते हैं। नीचे उल्लिखित कार्य के लिए सिविल / समग्र श्रेणी (कोई एक) या अनुमोदित आवेदकों की उचित श्रेणी में कोटेशन उसी दिन अपराह्न 3.30 बजे खोले जाएंगे।

Sealed quotations in two envelop system are hereby invited by the undersigned on behalf of the Director, IISER Pune for the work mentioned below up to 3.00 PM on 3/7/2024 from eligible contractors registered with anyone CPWD, Maharashtra State PWD, Railways, MES in appropriate category of Civil/Composite category ( any one ) for the work mentioned below. The quotations will be opened at 3.30 PM on the same day.

कार्य का नाम: आईआईएसईआर पुणे में माइक्रोस्कोपी प्रयोगशाला में स्लाइडिंग दरवाजा उपलब्ध कराना और स्थापित करना।

**NAME OF WORK : PROVIDING AND FIXING SLIDING DOOR AT MICROSCOPY LABORATORY AT IISER PUNE.**

Issue to –

ठेकेदार का नाम और पता -

Name and address of the agency –

**नियम और शर्तें:**

**Terms and Conditions:**

- 1) आवेदक को सीपीडब्ल्यूडी, महाराष्ट्र राज्य पीडब्ल्यूडी, रेलवे, एमईएस में से किसी के साथ सिविल/कम्पोजिट की उचित श्रेणी में पंजीकृत पात्र ठेकेदार होना चाहिए और कोटेशन के साथ वैध पंजीकरण प्रमाण पत्र जमा करना चाहिए। न्यूनतम पात्रता मानदंडों को पूरा नहीं करने वाले बोलीदाताओं को सरसरी तौर पर अस्वीकार कर दिया जाएगा।

The applicant should be eligible contractors registered with anyone CPWD, Maharashtra State PWD, Railways, MES in appropriate category of Civil/Composite with valid Registration Certificate be submitted along with the quotation. Bidders not meeting the minimum eligibility criteria shall be summarily rejected.

- 2) कार्य पूरा करने की समय अवधि आईआईएसईआर पुणे द्वारा कार्य आदेश देने की तिथि से 15 दिन होगी। कोटेशन खोलने के बाद बैक-आउट का कार्य ऐसी एजेंसियों को आईआईएसईआर पुणे के भविष्य के कोटेशन में भाग लेने से वंचित कर देगा। बोलीदाता maintenance@iiserpune.ac.in पर ई-मेल कर सकते हैं या उपरोक्त

निर्दिष्ट कोटेशन जमा करने की तिथि से एक दिन पहले सभी कार्य दिवसों पर हार्ड कॉपी में आईआईएसईआर पुणे कार्यालय में जमा कर सकते हैं।

Time period for completion of the work shall be 15 Days from the date of placing the work order by IISER Pune. The act of backing-out after opening of quotation will debar such agencies for participating in the future quotations of IISER PUNE. Bidder may e-mail queries on [maintenance@iiserpune.ac.in](mailto:maintenance@iiserpune.ac.in) or submit to IISER PUNE office in hard copy on all working days one day before submission date of quotation as specified above.

- 2) सूचना आमंत्रण (एनआईक्यू) दस्तावेज आईआईएसईआर पुणे से 121, इंजीनियरिंग अनुभाग, मुख्य भवन, आईआईएसईआर पुणे परिसर, डॉ. होमी भाभा रोड, पाषाण, पुणे-411008 से सभी कार्य दिवसों में सुबह 10 बजे से शाम 4 बजे के बीच प्राप्त किया जा सकता है। प्रस्तुत करने आवेदक आईआईएसईआर पुणे की वेबसाइट <http://www.iiserpune.ac.in/links/tender-notices-and-eoi> से एनआईक्यू दस्तावेज प्राप्त करके कोटेशन जमा कर सकते हैं।

Notice Inviting Quotation ( NIQ ) document may be obtained from IISER PUNE at 121, Engineering Section , Main Building, IISER PUNE Campus, Dr.Homi Bhabha Road, Pashan, Pune-411008 between 10 AM to 4 PM on all working days before date of submission. Applicant may submit quotation by obtaining NIQ document from IISER PUNE website at <http://www.iiserpune.ac.in/links/tender-notices-and-eoi>

- 3) बोलीदाता को अपना कोटेशन तकनीकी और वाणिज्यिक अलग-अलग दो लिफाफों में हस्ताक्षरित और मुद्रांकित हार्ड प्रतियों में जमा करना होगा, दोनों लिफाफे एक ही लिफाफे में सील किए जाएंगे और आईआईएसईआर पुणे में नियत तारीख पर 3 बजे से पहले उचित माध्यम से जमा किए जाएंगे। ऊपर निर्दिष्ट तिथि और समय के बाद प्राप्त कोटेशन स्वीकार नहीं किया जाएगा।

बोलीदाता को एनआईक्यू और बीओक्यू के सभी पृष्ठों पर हस्ताक्षर करना होगा और प्रत्येक पृष्ठ पर मुहर लगानी होगी। सभी लिफाफों पर नाम, संपर्क विवरण, ई-मेल आईडी और मोबाइल नंबर लिखा होना चाहिए। बिना हस्ताक्षर और संपर्क विवरण वाली बोलियां अस्वीकार कर दी जाएंगी।

एजेंसी केवल मात्रा के संलग्न बिल (बीओक्यू) में दर उद्धृत करेगी। शब्दों में उद्धृत दर को एल। बोलीदाता का निर्णय लेने के लिए अंतिम माना जाएगा। बोली को मूल बोली दस्तावेज (जैसा कि आईआईएसईआर, पुणे या वेबकॉपी द्वारा जारी किया गया है) में काम का नाम लिखकर प्रस्तुत किया जाएगा। उद्धृत दर, कोटेशन खुलने की तारीख से 60 दिनों के लिए वैध होगी। दरें आईआईएसईआर पुणे वेबसाइट पर उपलब्ध एनआईक्यू दस्तावेज में दिए गए स्थान पर हाथ से लिखकर उद्धृत की जाएंगी। बीओक्यू के अलावा उद्धृत की गई बोलियों पर विचार नहीं किया जाएगा। केवल तकनीकी रूप से योग्य बोलीदाताओं के वाणिज्यिक लिफाफे तदनुसार खोले जाएंगे। एजेंसी का प्रस्ताव व्यावसायिक रूप से स्पष्ट होना चाहिए जिसमें एजेंसी द्वारा इस कोटेशन के सभी नियमों और शर्तों को स्वीकार किया जाना शामिल है। आईआईएसईआर पुणे बिना कोई कारण बताए कोटेशन को स्वीकार या अस्वीकार करने का अधिकार सुरक्षित रखता है। एल। बोलीदाता के बारे में प्रभारी अभियंता का निर्णय अंतिम होगा।

Bidder shall submit their quotation in signed and stamped hard copies in two envelopes containing technical and commercial separately, both envelopes shall be sealed in single envelop and to be submitted by suitable means on and before **3 PM on** due date at IISER Pune. Quotation received after the date & time specified above shall not be accepted.

Bidder shall sign on all pages of NIQ and BOQ with seal on each pages. Name, Contact details, E mail ID and mobile number should be written on all envelopes. Bids without sign and contact details shall be rejected.

Agency shall quote rate in the attached bill of quantity ( BOQ ) only. Rate quoted in the words shall



be treated as final for deciding L1 bidder. The bid shall be submitted in the original bid document (as issued by the IISER, Pune or Webcopy ) super scribing the name of work. Quoted rate shall be valid for 60 days from the date of opening of quotations. Rates shall be quoted in hand writing in the spaces provided in NIQ document available on IISER Pune website. Bids quoted other than BOQ shall not be considered . Commercial envelopes of only technically qualified bidders shall be opened accordingly. The offer of the agency should be commercially clear including acceptance of all terms and conditions of this Quotation by the agency. IISER Pune reserves the right to accept or reject the quotation/s without assigning any reasons. Engineer In-charge decision about L1 bidder shall be final.

- 4) बोली उसी दिन अपराह्न 3.30 बजे एजेंसी या उनके अधिकृत प्रतिनिधियों, यदि कोई हो, की उपस्थिति में खोली जाएगी। किसी भी शर्त के साथ जमा किए गए कोटेशन को सशर्त कोटेशन माना जाएगा और आईआईएसईआर पुणे द्वारा सरसरी तौर पर खारिज कर दिया जाएगा। प्रभारी अभियंता मदवार न्यूनतम प्रस्ताव के आधार पर कार्य आदेश जारी कर सकते हैं।

Bids will be opened **on the same day at 3.30 PM** in the presence of agency or their authorized representatives, if any. Quotations submitted with any conditions shall be treated as conditional quotations and shall be summarily be rejected by IISER PUNE. Engineer In-charge may issue work order on itemwise lowest offer basis.

- 5) उद्भूत दरों में सभी सामग्रियों की लागत, श्रम लागत, जीएसटी, सभी कर, रॉयल्टी, ईंधन की लागत, ऑपरेटर, चुंगी, शुल्क, नमूने की लागत और प्रयोगशालाओं, रॉयल्टी आदि में सामग्री के परीक्षण के लिए शुल्क शामिल होना चाहिए। अतिरिक्त कुछ भी अलग से भुगतान नहीं किया जाएगा। बोलीदाता अपनी बोली से संबंधित किसी भी मामले में बोली खुलने के समय से कार्य आदेश जारी करने के समय तक आईआईएसईआर, पुणे से संपर्क करेगा नहीं। बोलीदाता द्वारा आईआईएसईआर पुणे के बोली मूल्यांकन, बोली तुलना या अनुबंध पुरस्कार निर्णयों को प्रभावित करने के किसी भी प्रयास के परिणामस्वरूप उसकी बोली को अस्वीकार किया जा सकता है। इस कार्य से संबंधित सभी मामलों में सक्षम प्राधिकारी / प्रभारी अभियंता का निर्णय अंतिम और बोली लगाने वाले के लिए बाध्यकारी होगा।

Quoted rate shall be inclusive of cost of all the materials, labour cost , GST ,all taxes, royalties, cost of fuel, operator , octroi , duties , cost of sample and fees towards testing of materials in labs ,royalties etc. complete. Nothing extra shall be paid separately. No, Bidder shall contact the IISER, Pune on any matter relating to his bid from the time of the bid opening to the time of issue of work order. Any effort by the Bidder to influence the IISER's bid evaluation, bid comparison or contract award decisions, may result in the rejection of his bid. Decision from competent authority/Engineer In-charge shall be final and binding to bidder in all the matters relating this work.

- 6) सभी स्वीकृत निर्माण बीओक्यू में निर्दिष्ट के अनुसार होंगे और सीपीडब्ल्यूडी विनिर्देशों के अनुसार, एजेंसी को तकनीकी डेटा डालना चाहिए और काम शुरू करने से पहले आईआईएसईआर पुणे के विभिन्न सामग्रियों के निर्माण पर पूर्व अनुमोदन प्राप्त करना चाहिए। सफल एजेंसी कार्य पूरा होने के मद्देनज कार्य आदि के लिए सभी उपकरण और टैकल की अपनी व्यवस्था स्वयं करेगी। एजेंसी को एक स्रोत पर बिजली निःशुल्क उपलब्ध कराई जाएगी, एजेंसी को स्रोत से कार्य स्थल तक सुरक्षित रूप से बिजली के दोहन की व्यवस्था स्वयं करनी चाहिए। किसी भी आवश्यक मचान को आईआईएसईआर पुणे को बिना किसी लागत के काम पूरा करने के लिए ठेकेदार द्वारा लाया जाएगा।

All approved makes shall be as specified in BOQ and as per CPWD specifications, agency should put- up technical data and obtain prior approval on makes of various materials of IISER PUNE before



taking-up work. The successful agency shall make his own arrangement for all Tools & tackles for work etc. complete in view of completion of work. Electricity shall be provided free of cost to agency at one source, agency should make own arrangement to safely tap of power from source to work location. Any scaffolding required shall be brought by contractor to complete the work with no cost to IISER Pune.

- 7) आईआईएसईआर पुणे द्वारा कोई अग्रिम भुगतान नहीं किया जाएगा। उद्धृत दरों में जीएसटी, टीडीएस और अन्य लागू कर शामिल होने चाहिए। काम के बिल से इनकम टैक्स और लेबर सेस की कटौती की जाएगी।

No advance payment shall be made by IISER Pune. Quoted rates should be including GST , TDS and other applicable taxes . Income Tax and labour cess will be deducted from the bills of the work.

- 8) कार्य बीओक्यू, नवीनतम सीपीडब्ल्यूडी विनिर्देश, आईएस विनिर्देशों और आईआईएसईआर पुणे के निर्देश के अनुसार होने चाहिए। जब भी सीपीडब्ल्यूडी / आईएस विनिर्देश उपलब्ध नहीं हैं आईआईएसईआर पुणे के निर्देश के अनुसार होने चाहिए।

Specification for the work to be carried out as per BOQ, latest CPWD specification, IS specifications & as per instruction of IISER PUNE whenever specification CPWD/ IS specification are not available.

- 9) ठेकेदार यह सुनिश्चित करेगा कि श्रमिकों और कर्मचारियों को श्रम कानूनों के अनुसार न्यूनतम मजदूरी का भुगतान किया जाए। सभी आवश्यक सुरक्षा उपकरणों आदि के साथ कार्य के निष्पादन के दौरान निर्धारित मानदंडों के अनुसार एल 1 एजेंसी द्वारा मापी गई सभी सुरक्षा का पालन किया जाएगा। निष्पादन एजेंसी सुरक्षा मानदंडों और संबद्ध मुआवजे आदि के सख्त पालन के लिए एकमात्र तकनीकी-व्यावसायिक रूप से जिम्मेदार होगी।

The contractor shall ensure that minimum wages should be paid to the labours and employees in accordance with labour laws. All the safety measured shall be followed by the L1 agency as per prescribed norms during execution of work with all the necessary safety tools etc. Executing Agency shall sole techno-commercially responsible for the strict adherence of safety norms and allied compensations etc.

- 10) एजेंसी को काम पूरा होने के 30 दिनों के भीतर भुगतान के लिए आईआईएसईआर पुणे को माप और सार पत्रक प्रस्तुत करना चाहिए।

Agency should submit measurements and abstract sheets to IISER PUNE for the payments within 30 days from completion of work.

  
अधीक्षण-अभियंता

Superintending Engineer

संलग्नक: - मात्रा की अनुसूची (बीओक्यू) - अनुलग्नक ए के अनुसार

Encl : - Schedule of Quantity ( BOQ ) – As per Annexure A



## ANNEX-A

## NAME OF WORK : PROVIDING AND FIXING SLIDING DOOR AT MICROSCOPY LABORATORY AT IISER PUNE.

## BILL OF QUANTITY

ITEM NO	DESCRIPTION	QUANTITY	UNIT	RATE IN WORDS AND FIGURES	AMOUNT
1.01	<b>Aluminium Works for Partition Support</b> : Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, panelling and dash fasteners to be paid for separately). Quoted rates shall be including GST , labour, lead , lift , transportation etc complete. Nothing extra shall be paid separately. Approved Make JINDAL/BARUKA/Indian Aluminium Co. <b>For fixed portion</b> : Powder coated aluminium (minimum thickness of powder coating 50 micron).Quoted rates shall be including GST , labour, lead , lift , transportation etc complete. Nothing extra shall be paid separately.	20.0	kg		
1.02	<b>Aluminium Works for Partition Support</b> : Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, panelling and dash fasteners to be paid for separately). Quoted rates shall be including cost of hinges, GST , labour, lead , lift , transportation etc complete. Nothing extra shall be paid separately. Approved Make JINDAL/BARUKA/Indian Aluminium Co. <b>For shutters of doors, windows &amp; ventilators including providing and fixing hinges/ pivots/Sliding and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required</b> : Powder coated aluminium (minimum thickness of powder coating 50 micron).Quoted rates shall be including GST , labour, lead , lift , transportation etc complete. Nothing extra shall be paid separately.	28.0	kg		





1.03	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): 5.0 mm thick glass panes (weight not less than 12.50 kg/sqm).	8.0	sqm	
1.04	Providing and fixing heavy duty sliding track with floor guide rollers for framed glass door. Sliding track shall be made-up of anodised aluminium C type track with heavy duty nylon rollers. Aluminium framed glass door shall be pivoted on track with suitable mechanism. Sliding track length shall be adequate to ensure providing 100% opening. Aluminium track shall be with anti-slip mechanism , end locking system and smooth functioning of track. Track shall have floor mounted guide rollers to ensure linear movement of door. The Sliding track shall be suitable for 1500mm width of door, track shall enable full opening of door meaning length of track shall be 3000mm. Quoted rates shall be including GST , labour, lead , lift , transportation etc complete. Nothing extra shall be paid separately. APPROVD MAKES HAFLE/HETTICH/DORMA/GODREJ	2.0	each	
1.05	Providing and fixing 100mm brass locks (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete. Quoted rates shall be including GST , labour, lead , lift , transportation etc complete. Nothing extra shall be paid separately. Approved Makes Godrej/Dorma/Hafle	2.0	each	
1.06	Providing and fixing Stainless Steel H handle of 450mm size etc. complete pair of in-out handle as per direction of Engineer-in-charge. Quoted rates shall be including GST , labour, lead , lift , transportation etc complete. Nothing extra shall be paid separately. Approved Makes Godrej/Dorma/Hafle	2.0	pair	
1.07	Providing and fixing wall panelling by 8mm tapered edge calcium silicate board made with calcareous & siliceous materials reinforced with cellulose fiber manufactured through autoclaving process to give stable crystalline structure with compressive strength 225 kg/ sq.cm, Bending strength 100 kg/sq.cm over frame work of aluminium /GI/MS etc all complete as per the drawing & directions of engineer-in-charge, the joints of the boards are finished with specially formulated jointing compound and 48 mm wide jointing tape to provide seamless finish. Frame works shall be measured in respective items. Quoted rate shall be including removing of existing damaged ceiling , making proper supporting arrangement , scaffolding upto 5 meter etc complete. Actual area of board shall be measured for payment.	4.0	sqm	



1.08	Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound ) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour.- Two or More Coat. Quoted rate is including cleaning of floors, disposal of malba to dumping yard within campus. ( Rate including material, labour, wastage, taxes, GST nothing extra shall be payable) Approved Makes – Asian/Nerolac/Dulux	50.0	sqm		
				<b>TOTAL</b>	

  
 Superintending Engineer,  
 IISER Pune

