HEED DINE

डॉ. होमी भाभा मार्ग, पुणे 411008, महाराष्ट्र, भारत | Dr. Homi Bhabha Road, Pune 411008, Maharashtra, India

T +91 20 2590 8001 **W** www.iiserpune.ac.in

ENQUIRY

		<u>ENQUIRY</u>			
		All Communications to be addressed to The Director IISER PUNE for the attention of INCHARGE S & P FOR DIRECTOR			
		Tender Enquiry No:	IISER/PUR/0559/25		
		Date	1	0/09/2025	
Please ser showing	n, REQUEST FOR QUOTATION DUE DATE: 24 Indicate the duotation in a sealed cover for the due date It is increase. It is increase the due date It is it is increase. It is increa	or the following items with co			
S. No:	Description of Material			Quantity	
1.	The uninstallation/reinstallation are the Gas Bank Facility (specification	As per attached specifications			
	Note: 2 Purchase orders should be organizations) for whom similar supply three years else, your bid shall not be ev	y has been made by the bi			
-	uotation received after due date will not be considered at all Fax/Telex Quotation will not be considered.		Yours Faithfully		
	Our Enquiry No, date and DUE date as above must be subscribed on the sealed envelope containing four quotation.				
4. W	We do not accept the advance payment terms or through bank against documents.			Sd/- Sr. Assistant Registrar (S&P)	

डॉ. होमी भाभा मार्ग, पुणे 411008, महाराष्ट्र, भारत | Dr. Homi Bhabha Road, Pune 411008, Maharashtra, India

T +91 20 2590 8001 W www.iiserpune.ac.in



TERMS AND CONDITIONS FOR ENQUIRY

- 1. Quotation should be SEALED and mention the ENQUIRY NO: DATE and DUE DATE on the envelope.
- 2. The quotations will be accepted only upto 5.00 p.m. The quotations will be opened in the presence of the representatives, if any, of the quoting firm at 3.30 p.m. on the next working day of the due date.
- 3. Your offer should be valid for a period of 180 days from the date of opening of the quotations/tenders
- 4. OEM Authorization should be submitted with the bid.
- 5. Break up of individuals cost of items should be provided.
- 6. Your rate should include packaging and forwarding charges. In case of quotation F.O.R. destination Insurance should also be covered. The good should be insured in your favor against theft, loss, damage or breakage during transit.
- 7. We are prepared to consider the offer for the material, either from indigenous manufacturer or of foreign manufacturer or available from ready stock. Any offer to supply on forward Delivery Basis under supplier's own import quota license will also be considered.

8. Delivery Period / Timeliness

The deliveries & installation must be completed within 90 days, after placement of purchase order/after opening of LC. The time is the essence of the contract. It is mandatory for the bidders who respond to this bid to meet these expectations, as are tightly linked to IISER, PUNE's plans of completing the project within the time frame.

9. Penalty for delayed Services / LD

- 8.1. As time is the essence of the contract, Delivery period mentioned in the Purchase Order should be strictly adhered to. Otherwise the IISER will forfeit SD and also LD clause will be applicable /enforced.
- 8.2. If the supplier fails to Supply, Install as per specifications mentioned in the order within the due date, the Supplier is liable to pay liquidated damages of 0.5% of order value per every week of delay subject to a maximum of 10% beyond the due date. Such money will be deducted from any amount due or which may become due to the supplier.
- 8.3. IISER, PUNE reserves the right to cancel the order in case the delay is more than 10 weeks. Penalties, if any, will be deducted from the Security Deposit
- 10. The price criteria should be on F.O.R., IISER PUNE. Govt. Levies like GST. if any, shall be paid at actual rates applicable on the date of delivery. Rates should be quoted accordingly giving the basic price, GST, if any.
- 11. The Quotation should have the following (In case the quote is in foreign currency):
 - FOB Airport price including packing forwarding and inland freight charges
 - CIF Mumbai price by Airfreight.
 - Name & address of the Indian agents and their contact details.
 - Amount of agency commission payable to Indian agent in Indian currency after receipt of
 consignments in good condition at our stores and in case of equipment, after satisfactory
 installation & commissioning. Indian Foreign Exchange and Regulations act requires that
 commission to Indian agency, discount etc if any indicated separately.
 - Indicate names of reputed Indian organizations where you have supplied similar equipment and may attach satisfactory performance report of equipment from users.
 - Prices eventually or finally paid in case you have supplied similar or identical equipment to other IISER institutes in the preceding 3 years
 - All Bank charges outside India shall be borne by the beneficiary
 - Details of services to be rendered by you.
 - Delivery period
 - Details Terms including warranty period.

डॉ. होमी भाभा मार्ग, पुणे 411008, महाराष्ट्र, भारत | Dr. Homi Bhabha Road, Pune 411008, Maharashtra, India

T +91 20 2590 8001 W www.iiserpune.ac.in



12. Security Deposit:

- After the award of contract, the vendor shall furnish a Security Deposit amounting to 5% of the purchase order value in the form of Demand Draft/Bank Guarantee (from scheduled Bank only) favoring the Director, Indian Institute of Science Education and Research, Pune.
- 11.2 The IISER will forfeit the 10% security deposit if vendor fails to execute the order as per the Purchase Order. This Security Deposit will be refunded to the vendor only on successful installation of the EQUIPMENT / SYSTEM.
- 11.3 The Security Deposit should be valid for a period of warranty period as we plan to extend the same as Performance Bank Guarantee. Any future change in the rate of performance security will be considered as per government norms.
- 13. We do not accept advance payment terms or payment against documents. See below details of accepted payment terms.

Modes of Payment

Payment will be made directly to the suppliers by RTGS/NEFT after receipt of the goods, tested /inspected and found satisfactory with regard to quality, quantity, and specifications ordered for and after satisfying that the terms and conditions of supply have been fulfilled.

OR

Inland Letter of Credit will be established for 100% order value, 90% payment shall be made by a, against the presentation of original Shipping documents. Balance 10% will be released after completion of satisfactory installation, commissioning, demonstration of the whole system, after imparting training and upon receipt of Bank Guarantee for 10% of total Order value towards performance security to be valid for till warranty period from the date of installation.

A) IMPORT

Letter of Credit will be established for 100% order value excluding the Agency Commission due to the Indian Agents, 90% payment shall be made by a, against the presentation of original Shipping documents. Balance 10% will be released after completion of satisfactory installation, commissioning, demonstration of the whole system, after imparting training and upon receipt of Bank Guarantee for 10% of total Order value towards performance security to be valid for till warranty period from the date of installation.

OR

By Wire Transfer for 100% of the Purchase Order value on receipt of goods and completion of satisfactory installation, commissioning, demonstration of the whole system, after imparting training and on submission of 10% Security Deposit/PBG valid till warranty period.

The payment of local currency portion shall be payable in Indian Rupees, within 30 days after the receipt of the equipment in good condition and after satisfactory installation and commissioning and demonstration.

The Agency Commission to the Indian Agent will be paid in INR only after successful installation, commissioning and satisfactory demonstration and acceptance of the items ordered for by the end user

14. **WARRANTY**

The items covered by the schedule of requirement shall carry minimum **One years on the equipment/item comprehensive warranty after installation** from the date of acceptance of the equipment by IISER, PUNE. Warranty shall include free maintenance of the whole equipment supplied including free replacement of parts. The defects, if any, shall be attended to on immediate basis but in no



डॉ. होमी भाभा मार्ग, पुणे 411008, महाराष्ट्र, भारत | Dr. Homi Bhabha Road, Pune 411008, Maharashtra, India

T +91 20 2590 8001 W www.iiserpune.ac.in

case any defect should prolong for more than 24 hours. The comprehensive warranty includes onsite warranty with parts.

The defects, if any, during the guarantee/warranty period are to be rectified free of charge by arranging free replacement wherever necessary. This includes cost, insurance, freight, custom duty & Clearance octroi, local taxes if any should be borne by the beneficiary or his agent. A clear confirmation should be given for this item.

15. Please provide a compliance table with your quotation in the following format:

Item	Specification asked	Specification Quoted for	Departure and remarks

Please provide sufficient technical details with your quotation (in the form of brochures, spec sheets or tech notes) such that every point should be independently verifiable. Marking the details on the accompanying material will be greatly appreciated.

16. Fall clause:

The commercial offer shall in no way exceed the lowest price at which the contractor sells the stores of identical description to any other person/organization during the currency of the contract.

- 17. Purchase orders (preferably from the Govt. organizations) for whom similar supply has been made by the bidder in last three years else, your bid shall not be evaluated further.
- 18. The quotations are liable to be rejected if any of the above condition is not complied.
- 19. Printed condition of the tenders/quotations shall not be binding on us.
- 20. The acceptance of the quotation will rest with the Director, Indian Institute of Science Education and research (IISER) Pune who does not bind himself to accept the lowest quotation and reserves the right to himself to reject or partially accept any or all the quotations received without assigning any reason.

डॉ. होमी भाभा मार्ग, पुणे 411008, महाराष्ट्र, भारत | Dr. Homi Bhabha Road, Pune 411008, Maharashtra, India

T +91 20 2590 8001 **W** www.iiserpune.ac.in



SPECIFICATIONS FOR THE GAS-BANK FACILITY

A. <u>Uninstallation and reinstallation of existing facility</u>

B. Automatic Change Over System for 2 Argon Cylinder

Part No.: ITC-ASSEMBLY-01201/REG-KCA1JJBB12ADK020-2839 (Tentative)

Make: Swagelok

- 1. Two FM series hoses and two bull noses
- 2. Maximum inlet pressure: 200 bars
- 3. Two pressure gauge, one for each cylinder pressure
- 4. Two dust filters with isolation valves
- 5. Two gas venting valves
- 6. Arrowhead manual indicator regulator
- 7. Pressure control range of the regulator: 0 to 30 bars
- 8. Nominal change over pressure of the panel: 20 bars
- 9. Maximum outlet pressure: 15 bars. A pressure guage and needle valve should be provided.

C. Moisture and oxygen traps with isolation valves.

Make: Agilent

Moisture Trap:

Part No.: BMT-4

1. Capacity: 130 g H2O

2. Pressure: up to 250 psig

3. Efficiency: reduc on of H2O to less than 5 ppb

4. Volume: 750 cm3 gas purifier

5. Equipped with sintered stainless steel frits to prevent particulate contamination

6. Refillable

Oxygen Trap:

Part No.: BOT- 4

1. Capacity: 3L O2 or 3.2 g

2. Pressure: upto 250 psig

3. Efficiency: reduction of O2 to less than 1 ppb

4. Volume: 750 cm3 gas purifier

5. Equipped with sintered stainless steel frits to prevent particulate contamination

6. ¼ inch tube fittings (SS made) should be provided at both the ends.

डॉ. होमी भाभा मार्ग, पुणे 411008, महाराष्ट्र, भारत | Dr. Homi Bhabha Road, Pune 411008, Maharashtra, India **T** +91 20 2590 8001 **W** www.iiserpune.ac.in



D. Point of Use Regulator Panel

Make: Swagelok

Part No.: ITC-ASSEMBLY-01199/KLF1GJC412A20000(Tentative)

- 1. Two point of use regulator panel
- 2. Regulator, outlet pressure gauge and isolation valve only at the outlet for each of the two points.
- 3. Maximum inlet pressure: 15 bars.
- 4. Outlet pressure control range: 0 to 5 bars with fine pressure tunings