



Bid Number: GEM/2020/B/670654
Dated: 12-06-2020

Bid Document

| Bid Details | |
|--|--|
| Bid End Date/Time | 25-06-2020 11:00:00 |
| Bid Opening Date/Time | 2020-06-25 11:30:00 |
| Bid Life Cycle (From Publish Date) | 90 (Days) |
| Bid Offer Validity (From End Date) | 75 (Days) |
| Ministry/State Name | Ministry Of Human Resource Development |
| Department Name | Department Of Higher Education |
| Organisation Name | Indian Institute Of Science Education And Research (iisers) |
| Office Name | Pune 411008 |
| Total Quantity | 1 |
| Item Category | Desktop Computers |
| MSE Exemption for Years of Experience and Turnover | No |
| Startup Exemption for Years of Experience and Turnover | No |
| Document required from seller | Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Bid to RA enabled | No |
| Estimated Bid Value | 38000 |

EMD Detail

| | |
|----------|----|
| Required | No |
|----------|----|

ePBG Detail

| | |
|----------|----|
| Required | No |
|----------|----|

Splitting

Bid splitting not applied.

Desktop Computers (1 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

| Specification | Specification Name | Values | Bid Requirement (Allowed Values) |
|---------------|--------------------------------------|--------------------|---|
| Processor | Processor Make | Intel | Intel |
| | Processor Generation | 8 | 8.0 Or higher |
| | Number of Cores per Processor | 4 | 4, 6, 8 Or higher |
| | Processor Base Frequency (GHz) | 3.6 | * |
| | Processor Description | Intel Core i3 | Intel Core i3, Intel Core i5, Intel Core i7, Intel Core i9 Or higher |
| | Processor Number | Intel Core i3 8100 | Intel Core i3 8100, Intel Core i3 8300, Intel Core i5 7400T, Intel Core i5 7500T, Intel Core i5 7400, Intel Core i5 7600T, Intel Core i5 8400T, Intel Core i5 7500, Intel Core i5 8500T, Intel Core i5 7600, Intel Core i5 7600K, Intel Core i5 8400, Intel Core i5 8500, Intel Core i5 8600, Intel Core i5 8600K, Intel Core i7 7700T, Intel Core i7 7700, Intel Core i7 8700T, Intel Core i7 7700K, Intel Core i7 8700, Intel Core i7 8700K, Intel Core i3 9100, Intel Core i3 9300, Intel Core i3 9320, Intel Core i5 9400, Intel Core i5 9500, Intel Core i5 9600, Intel Core i7 9700, Intel Core i9 9900, Intel Core i7 9700K, Intel Core i9 9900K, Intel Core i9 9900KS, Intel Core i9 9900KF, Intel Core i7 9700KF, Intel Core i7 9700F, Intel Core i7 |

| | | | |
|------------------|---|-------------------------|---|
| | | | 8086K, Intel Core i5 9600K, Intel Core i5 9600KF, Intel Core i9 9900T, Intel Core i5 9500F, Intel Core i5 9400F, Intel Core i3 9350KF, Intel Core i3 9350K, Intel Core i7 9700T, Intel Core i3 8350K, Intel Core i5 9600T, Intel Core i5 8600T, Intel Core i3 9100F, Intel Core i5 9500T, Intel Core i5 9400T, Intel Core i3 9300T, Intel Core i3 9100T Or higher |
| | Out of Band Management | NA | * |
| | Cache (MB) | 6 | * |
| Motherboard | Chipset Series | Intel H Series | Intel H Series, Intel B Series, Intel Q Series Or higher |
| | Expansion Slots (PCIe x 1) (Number) | 1 | * |
| | Chipset Number | Intel H370 | Intel H310, Intel H370, Intel B360, Intel Q 250, Intel Q 270, Intel Q 370, Intel B 365 Or higher |
| | Expansion Slots (PCIe x 4) (Number) | 0 | * |
| | Expansion Slots (PCIe x 16) (Number) | 1 | * |
| | Expansion Slots (PCI) (Number) | 1 | * |
| | Expansion Slots (M Dot 2) | 1 | * |
| Graphics | Graphics Type | Integrated | * |
| | Graphic Card Description | - | * |
| | Size of Memory in Case of Dedicated Graphic Card (GB) | 0 | * |
| | Size of VRAM in case of Integrated Graphics (MB) | - | * |
| Operating System | Operating System (Factory Pre-Loaded) | Windows 10 Professional | Windows 10 Professional |

| | | | |
|--|---|---|--|
| | Recovery Image Media | - | * |
| | OS Certification | Windows | * |
| Memory | Type of RAM | DDR4 | * |
| | RAM Size (GB) | 8 | 8, 16, 32, 64 Or higher |
| | RAM Speed (MHz) | 2666 | * |
| | Total Numbers of DIMM Slots Available | 2 | * |
| | Number of DIMM Slots populated | 1 | * |
| | RAM Expandability up to(using spare DIMM Slots in GB) | 32 | 32, 64, 128 Or higher |
| | Storage | Total Number of Internal Bays available | 2 |
| Number of 2 point 5 inches internal Bays | | 0 | * |
| Number of 3 point 5 inches Internal Bays | | 2 | * |
| Number of 2 point 5 Inches Internal Bays Populated | | 0 | * |
| Number of 3 point 5 Inches Internal Bays Populated | | 1 | * |
| Type of Drives used to populate the Internal Bays | | HDD | HDD |
| Number of Internal Bays populated with HDD | | 1 | * |
| Capacity of each HDD (GB) | | 1000 @7200 rpm | * |
| Total HDD Capacity (GB) | | 1000 | 1000, 1500, 2000, 2500, 3000 Or higher |
| Number of Internal Bays populated with SSD | | 0 | * |
| Capacity of each SSD (GB) | | 0 | * |
| Total SSD Capacity (GB) | | 0 | 128, 256, 384, 512, 768, 0, 1024, 2048 Or higher |
| Number of Internal Bays populated with SSHD | | 0 | * |
| Capacity of each SSHD | | NA | * |

| | | | |
|--|---|--|------------------------------|
| | (GB) | | |
| | Total SSHD Capacity in addition to 8 GB Flash (GB) | 0 | 500, 1000, 2000, 0 Or higher |
| | Optane Memory (GB) | 0 | * |
| Cabinet | Cabinet Form Factor | Tower (13.1 to 26 Litres) | Tower (13.1 to 26 Litres) |
| | Cabinet Volume (Litres) | - | * |
| | External Bays (Number) | 1 | * |
| | Optical Drive | DVD R/W | * |
| | Internal Speaker | Yes | * |
| | Audio-in | Yes | * |
| | Audio-out | Yes | * |
| | Headphone out | Yes | * |
| | Microphone-in | Yes | * |
| | Connectivity | Wireless Connectivity | No |
| If Yes, Type of Wireless Connectivity | | NA | * |
| Number of Ethernet Ports | | 1 | * |
| Type of Ethernet Ports | | 10/100/1000 on board Integrated Gigabit Port | * |
| Bluetooth Connectivity | | No | * |
| If Yes, Version of Bluetooth Available | | 0 | * |
| Ports | Number of USB Version 2 Point 0 Ports | 4 | * |
| | Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports | 4 | * |
| | Number of USB Version 3 point 1, Gen 2 Ports | 0 | * |
| | Number of USB Type C Ports | 0 | * |
| | Number of Serial Ports | 1 | * |
| | Number of Parallel Ports | 0 | * |
| | Number of VGA Ports | 1 | * |
| | Number of HDMI Ports | 1 | * |
| | Number of DP Ports | 0 | * |
| Monitor | Model of the Monitor | - | * |

| | | | |
|----------------------|--|----------------------------|--|
| | Monitor Technology | IPS | IPS Or higher |
| | LED Backlit Monitor Size (INCHES) | 19.5 | 19.5, 21.5, 22, 23, 24, 27, 20, 23.8 Or higher |
| | Monitor Resolution (PIXELS) | 1600 x 900 | 1600 x 900, 1920x1080, 1920 x 1200, 3200x1800, 3840 x 2160, 1280 x 1024, 2560 x 1440 Or higher |
| | TCO Certification for Monitor | - | * |
| | Number of VGA Ports in the Monitor | 1 | * |
| | Number of HDMI Ports in the Monitor | 1 | * |
| | Number of Display Ports in the Monitor | 0 | * |
| | Availability of Webcam integrated with Monitor | No | * |
| | If Yes, Resolution of Webcam | NA | * |
| | Availability of Speakers integrated with Monitor | No | * |
| | If Yes, Number of Speakers available | 0 | * |
| Power | Power Supply Capacity (Watt) | - | * |
| | Minimum Power Efficiency Range (%) | 90 - 94 | * |
| Certification | ROHS Compliance | Yes | * |
| | BEE / Energy Star for the given Model | Yes | * |
| Input Devices | Mouse Connectivity | Wired | * |
| | Type of Mouse | Optical Scroll | * |
| | Keyboard Connectivity | Wired | * |
| | Type of Keyboard | Standard with Rupee Symbol | * |
| Operating Conditions | Minimum Operating Temperature | 0 | * |
| | Maximum Operating Temperature | 40 | * |
| | Minimum Operating Humidity (%RH) | 10 | * |
| | Maximum Operating Humidity (%RH) | 90 | * |

| | | | |
|----------|------------------------------------|---|-------------------|
| Warranty | On Site OEM Warranty (Year) | 3 | 3, 5, 4 Or higher |
|----------|------------------------------------|---|-------------------|

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---|----------|---------------|
| 1 | John Albert K | 411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan Pune 411008 Email: purchase@iiserpune.ac.in For Payment Status: 020 2590 8180/8452 For Delivery Status : 020 2590 8246, PUNE CITY, 411008 | 1 | 30 |

Special terms and conditions for category Desktop Computers

- As per notification of MEITY circulated vide letter no. F.No.33(1)/2017-IPHW..dated :14/09/2017, the minimum local content should be 45.percent to qualify as local or domestic manufacturer.\n\nSeller has to ensure that operating system software etc comes preloaded with machine from respective OEM . Any deviation in respect of genuinity and authenticity of OS will attract severe penalty on part of seller as law of the land and contractual provisions. Buyer are also requested to verify the key no of OS etc with server of Microsoft/Linux before accepting machines to avoid complexity at latter stage.

Bid Specific Additional Terms and Conditions

- Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
- The buyer organization is an institution eligible for concessional rates of GST as notified by the Government of India. The goods for which bids have been invited fall under classification of GST concession and the conditions for eligibility of concession are met by the institution. A certificate to this effect will be issued by Buyer to the Seller after award of the Contract. Sellers are requested to submit their bids after accounting for the Concessional rate of GST. Applicable Concessional rate of GST : 5%
Notification No.and date : The rate of GST applicable to IISER Pune is 5% for the items procured for Research purpose as per Notification No 45/2017- Central Tax (Rate) New Delhi, dated 14/11/2017
- Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 10 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty

amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

4. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
5. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
6. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
7. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---