

Bid Document

Bid Details	
Bid End Date/Time	12-10-2020 09:00:00
Bid Opening Date/Time	12-10-2020 09:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Human Resource Development
Department Name	Department Of Higher Education
Organisation Name	Indian Institute Of Science Education And Research (iisers)
Office Name	Pune 411008
Total Quantity	2
Item Category	Revolving Chair (PAC Only) , Executive Table (PAC Only)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Primary product category	Executive Table
Inspection Required	No
Estimated Bid Value	30029

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Revolving Chair (1 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriobeatleatheritehighbackchairwithseatslide

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	Aluminium Die Cast Chrome Finish With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter	Aluminium Die Cast Chrome Finish With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter
	Arm Material	pu foam bonded chrome coted	pu foam bonded chrome coted
	seat material	PU Foam Covered With pure leatherite	PU Foam Covered With pure leatherite
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	55	*
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	55	*
	Material of Fabric Back Cover / Material for Backrest	Leatherite	Leatherite, N.A
	Material of Fabric of Seat Cover	leatherite	leatherite
	GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	N.A	*
GENERAL	Chair Type	knee tilt synchronic	knee tilt synchronic
	Tilt Tension Adjustment	Yes	*
	Height Adjustment ± 5(mm)	up to 100 mm	up to 100 mm
	Arm	With	With
	Type of backrest support	backrest symmetrical lumber support	backrest symmetrical lumber support
	Arm Type	Adjustable	Adjustable
	Colour of Fabric for Seat and Backrest	black	*
	Ergonomic Seat Design	Yes	Yes
	Back type	height adjustable	height adjustable
	Backrest is made of two pcs injection moulded frame	Backrest is made of one piece injection moulded frame	*
	backrest has separate adjustable headrest	No	No
	Seat type	sliding	sliding
	Seat is curved	Yes	*
	Locking mechanism	Yes	*
	Type of locking	4-Position Locking	*
Number of arm	2(up & down)	2(up & down)	

	movement		
	Lumber support	N.A	N.A
DIMENSION	Overall Chair Height ±15mm	1025	1025
	Backrest Height ±15mm	730	730.0
	Backrest Width ±10mm	520	520.0
	Seat Height ±15 mm	450	450
	Seat Width ±10 mm	480	480
	Seat Depth ±10 mm	480	480.0
	Thickness of MS Plate Joining the under structure with Seat	1	1.0
	Thickness of Plywood used in Seat ±1(mm)	12 mm	12 mm
	Thickness of Plywood used in Backrest ± 1(mm)	12 mm	12 mm
	Padestal Size (Diameter in mm) +/- 10 mm	650	*
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	50 mm	50 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	40 mm	40 mm
WARANTEE	Warrantee period in number of years	1-year	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	YES
	BIFMA Certification	NO	NO
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO 14001:2015 certified	YES	YES
	OEM of offered product is ISO 18001:2007 certified	YES	YES
	Green guard certification	NO	NO
	Aiota	YES	YES

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan Pune 411008 Email: purchase@iiserpune.ac.in For Payment Status: 020 2590 8180/8452 For Delivery Status : 020 2590 8246, PUNE CITY, 411008	1	45

Executive Table (1 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriosquadroplusstudytable

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller	Knocked Down To Be Assembled At Consignee Site By The Seller
	Frame type	Free standing	*
	Understructure of table	Gable end and modesty panel	*
	Storage provided	One side	One side
	Keyboard tray	Not provided	Not provided
	Foot rest	Not Provided	Not Provided
MATERIAL	Table top Material	Three layer prelaminate particle board(Wood Product) of grade II type II of IS 12823/Latest	Three layer prelaminate particle board(Wood Product) of grade II type II of IS 12823/Latest
	Gable end and modesty panel material	Three Layer prelaminate particles board(wood product) of grade II type III of IS 12823/Latest	Three Layer prelaminate particles board(wood product) of grade II type III of IS 12823/Latest
	Leg Material	NO LEGS	NO LEGS
MISC	Table top long sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Table top plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Gable end and modesty panel plain side	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Number of buffers provided	4 Nos. at bottom	*
DIMENSION	Thickness of table top	19	19.0

	±2 mm		
	Thickness of gable end and modesty panel ±2mm	19	*
	Length of table top ±10 mm	900	900.0
	Depth of table ±10 mm	600	600.0
	Height of table ±10 mm	700	700.0
	Dimension of leg(mmXmm) ±5mm	No legs	No legs
STORAGE UNIT	Number of Storage unit provided	Triple storage	Triple storage
	Width of storage unit ±10mm	400mm	*
	Depth of storage unit in mm (±10mm)	600	*
	Height of smallest storage unit ±5mm	130 mm	*
	Height of medium storage unit ±5mm	N.A	*
	Height of largest storage unit ±5mm	230mm	*
KEYBOARD TRAY	Type of keyboard tray	N.A	*
	Material of keyboard tray and Right angle L-type supporting bracket	N.A	*
	Keyboard adjustability	N.A	*
	fixing of supporting bracket	N.A	*
	Length of telescopic channel ±10mm	N.A	*
	Average weight of telescopic channel ±50Gms	N.A	*
	Keyboard front width ±10mm	N.A	*
	Keyboard depth ±10mm	N.A	*
	Keyboard height ±10mm	N.A	*
	Finish of exposed edges of keyboard tray	N.A	*
	Material thickness of keyboard tray ±1mm	N.A	*
FOOTREST	Material of footrest	N.A	*
	Length of footrest ±10mm	N.A	*
	Depth of footrest ±10mm	N.A	*
	Height of footrest ±10mm	N.A	*

	Finish of exposed edges	N.A	*
	Material thickness of footrest ±2mm	N.A	N.A
COLOUR & FINISH	Table top finish	Laminate in colour with matt finish 0.6-0.8mm thickness of type S,F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on other side	*
	Table top shade	Dark walnut	*
WARRANTY	Warrantee period in number of years	1	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
	Product having BIFMA certification	NO	NO
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO 14001:2015 certified	YES	YES
	OEM of offered product is ISO 18001:2007 certified	YES	YES

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan Pune 411008 Email: purchase@iiserpune.ac.in For Payment Status: 020 2590 8180/8452 For Delivery Status : 020 2590 8246, PUNE CITY, 411008	1	45

Bid Specific Additional Terms and Conditions

- 1.Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 2.Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 3.Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

4. ISO 9001: The bidder must have ISO 9001 certification.
5. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
6. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
7. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 10 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---