



Bid Number: GEM/2020/B/704135  
Dated: 14-07-2020

### Bid Document

Bid Details	
Bid End Date/Time	25-07-2020 18:00:00
Bid Opening Date/Time	25-07-2020 18:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Human Resource Development
Department Name	Department Of Higher Education
Organisation Name	Indian Institute Of Science Education And Research (iisers)
Office Name	Pune 411008
Total Quantity	1
Item Category	Revolving Chair
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No
Estimated Bid Value	47000

#### EMD Detail

Required	No
----------	----

#### ePBG Detail

Required	No
----------	----

#### Splitting

Bid splitting not applied.

## Revolving Chair ( 1 pieces )

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	<b>Pedestal Base</b>	Aluminium Die Cast with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size	Aluminium Die Cast with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size
	<b>Arm Material</b>	aluminium covered with pu	aluminium covered with pu
	<b>seat material</b>	PU foam covered with mesh fabric	PU foam covered with mesh fabric
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	40	*
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	35	*
	<b>Material of Fabric Back Cover / Material for Backrest</b>	mesh fabric	mesh fabric
	<b>Material of Fabric of Seat Cover</b>	Mesh Fabrics	Mesh Fabrics
	GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	N.A	*
GENERAL	<b>Chair Type</b>	360 Degree swivel,posture control with multilocking position synchronized mechanism	360 Degree swivel,posture control with multilocking position synchronized mechanism
	Tilt Tension Adjustment	Yes	*
	<b>Height Adjustment <math>\pm 5</math>(mm)</b>	up to 100 mm	up to 100 mm
	<b>Arm</b>	With	With
	<b>Type of backrest support</b>	Backrest With Adjustable Lumber Support	Backrest With Adjustable Lumber Support
	<b>Arm Type</b>	Adjustable	Adjustable
	Colour of Fabric for Seat and Backrest	black	*

	<b>Ergonomic Seat Design</b>	Yes	Yes
	<b>Back type</b>	push back	push back
	Backrest is made of two pcs injection moulded frame	Backrest is made of two pcs injection moulded frame	*
	<b>backrest has separate adjustable headrest</b>	Yes	Yes
	<b>Seat type</b>	sliding	sliding
	Seat is curved	Yes	*
	Locking mechanism	Yes	*
	Type of locking	5-Position Locking	*
	<b>Number of arm movement</b>	6(Up & Down,Left & Right And Swivel)	6(Up & Down,Left & Right And Swivel)
	<b>Lumber support</b>	external & adjustable	external & adjustable
DIMENSION	<b>Overall Chair Height ±15mm</b>	1220	1220
	<b>Backrest Height ±15mm</b>	650	650.0
	<b>Backrest Width ±10mm</b>	440	440.0
	<b>Seat Height ±15 mm</b>	520	520
	<b>Seat Width ±10 mm</b>	550	550
	<b>Seat Depth ±10 mm</b>	420	420.0
	<b>Thickness of MS Plate Joining the under structure with Seat</b>	1.2	1.2
	<b>Thickness of Plywood used in Seat ±1(mm)</b>	N.A	N.A
	<b>Thickness of Plywood used in Backrest ± 1(mm)</b>	N.A	N.A
	Padestal Size (Diameter in mm) +/- 10 mm	680	*
	<b>Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)</b>	N.A	N.A
	<b>Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)</b>	N.A	N.A

WARANTEE	<b>Warrantee period in number of years</b>	1-year	1-year
CERTIFICATION	<b>Test reports to be furnished to buyer on demand</b>	NO	NO
	<b>BIFMA Certification</b>	YES	YES
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES	YES
	<b>OEM of offered product is ISO 18001:2007 certified</b>	YES	YES
	<b>Green guard certification</b>	YES	YES
	<b>Aiota</b>	-	NO

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan Pune 411008 Email: purchase@iiserpune.ac.in For Payment Status: 020 2590 8180/8452 For Delivery Status : 020 2590 8246, PUNE CITY, 411008	1	30

#### Bid Specific Additional Terms and Conditions

1. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
2. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
3. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of

Telephone Numbers for Service Support.

4. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
5. ISO 9001: The bidder must have ISO 9001 certification.
6. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
7. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 7 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**