

### Bid Document

Bid Details	
Bid End Date/Time	27-10-2020 18:00:00
Bid Opening Date/Time	27-10-2020 18:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Human Resource Development
Department Name	Department Of Higher Education
Organisation Name	Indian Institute Of Science Education And Research (iisers)
Office Name	Pune 411008
Total Quantity	73
Item Category	Single / Double Bed - Wooden - With / Without Box , Executive Table , Dressing Table , Restaurant Chair , Sofas , Bed Side Table , Revolving Chair , Modular Compact Storage Unit
Bidder Turnover (Last 3 Years)	5 Lakh (s)
OEM Average Turnover (Last 3 Years)	40 Lakh (s)
Experience Criteria	3 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	30 %
Bid to RA enabled	No
Primary product category	Modular Compact Storage Unit
Inspection Required	No

#### EMD Detail

Advisory Bank	State Bank of India
EMD Percentage(%)	2.00
EMD Amount	20639

#### ePBG Detail

Required	No
----------	----

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**Beneficiary:**

DIRECTOR

Pune 411008, Department of Higher Education, Indian Institute of Science Education and Research (IISERs), Ministry of Human Resource Development (Director Indian Institute of science education and research)  
(Director)

**Splitting**

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

**Single / Double Bed - Wooden - With / Without Box ( 7 pieces )**

**Technical Specifications**

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	<b>Material of Mattresses Panel</b>	Other wood	Other wood
	<b>Material of Bottom Panel of Storage Box</b>	Three layer prelaminate particles board (Wood product) of grade II type II of IS 12823/Latest	Three layer prelaminate particles board (Wood product) of grade II type II of IS 12823/Latest
	<b>Material of Front, Back and side Panels</b>	MDF Board Conforming To IS:12406(Grade SBG I)	MDF Board Conforming To IS:12406(Grade SBG I)
	<b>Material of Headrest</b>	mdf board conforming to is 12406 grade sbg i	mdf board conforming to is 12406 grade sbg i
	<b>Material of Legrest</b>	mdf board conforming to is 12406 grade sbg i	mdf board conforming to is 12406 grade sbg i

GENERIC	<b>Type of Bed</b>	Double Bed	Wooden Double Bed
	<b>Material of Bed Frame</b>	Three layer prelaminate particles board (Wood product) of grade II type II of IS 12823/Latest	Three layer prelaminate particles board (Wood product) of grade II type II of IS 12823/Latest
	Headrest provided	Yes	*
	Legrest provided	Yes	*
	Opening of Storage Box	Opening from Side	*
	Number of Openings (Nos)	2	*
	<b>Hydraulic System provided for Opening</b>	No	No
	Top Panel have Supports from all the four sides	YES	*
	Leg Details	metal legs	*
	Number of Supports under Bottom Panel of storage box (Nos)	3	*
DIMENSIONS	Mattress Fixing Length $\pm 10$ (mm)	1830	*
	<b>Mattress Fixing Width <math>\pm 10</math> (mm)</b>	1525	1525
	Mattress Panel Height $\pm 5$ (mm)	200	*
	Depth of Storage Box in mm ( $\pm 10$ mm)	850	*
	Thickness of Mattresses Panel $\pm 1$ (mm)	19	*
	Thickness of Bottom Panel of Storage Box $\pm 1$ (mm)	19	*
	Thickness of Front, Back and Side Panels $\pm 2$ (mm)	25	*
	<b>Thickness of material of Headrest <math>\pm 2</math> (mm)</b>	18	18
	Overall Height of Headrest $\pm 5$ (mm)	900	*
	Length of Headrest $\pm 10$ (mm)	1525	*
	Thickness of material of Legrest $\pm 2$ (mm)	25	*
	<b>Overall Height of Legrest <math>\pm 5</math> (mm)</b>	450	450
	<b>Overall Length of Legrest <math>\pm 10</math> (mm)</b>	1525	1525
	Size OF SUPPORT for Top Panel $\pm 2$ (mmxmm)	25 x 25	*
	Size of Supports on under Bottom Panel of storage box $\pm 2$ (mmxmm)	35 x 35	*

COLOUR & FINISHING	<b>Finish</b>	Laminated	Laminated
	Colour of Paint	dark brown	*
	Colour of Lamination	Wengee	*
	All Visible Wood Parts to be Polished	NA	*
WARANTEE	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	1	1

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	7	45

#### Executive Table ( 7 pieces )

##### Technical Specifications

\* [As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	<b>Mode of supply</b>	Knocked Down To Be Assembled At Consignee Site By The Seller	Knocked Down To Be Assembled At Consignee Site By The Seller
	Frame type	Free standing	*
	Understructure of table	Gable end and modesty panel	*
	<b>Storage provided</b>	One side	One side
	<b>Keyboard tray</b>	Not provided	Not provided
	<b>Foot rest</b>	Not Provided	Not Provided
MATERIAL	<b>Table top Material</b>	MDF board of grade SBG II of IS 12406/Latest	MDF board of grade SBG II of IS 12406/Latest
	<b>Gable end and modesty panel material</b>	Three Layer prelaminate particles board(wood product) of grade II type III of IS 12823/Latest	Three Layer prelaminate particles board(wood product) of grade II type III of IS 12823/Latest
	<b>Leg Material</b>	Other wood	Other wood
MISC	Table top long sides	To be post form half round profile	*
	Table top plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*

	Gable end and modesty panel plain side	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Number of buffers provided	4 Nos. at bottom	*
DIMENSION	<b>Thickness of table top ±2 mm</b>	15	15.0
	Thickness of gable end and modesty panel ±2mm	15	*
	<b>Length of table top ±10 mm</b>	900	900.0
	<b>Depth of table ±10 mm</b>	600	600.0
	<b>Height of table ±10 mm</b>	725	725.0
	<b>Dimension of leg(mmXmm) ±5mm</b>	No legs	No legs
STORAGE UNIT	<b>Number of Storage unit provided</b>	Single storage	Single storage
	Width of storage unit ±10mm	400mm	*
	Depth of storage unit in mm (±10mm)	470	*
	Height of smallest storage unit ±5mm	125mm	*
	Height of medium storage unit ±5mm	N.A	*
	Height of largest storage unit ±5mm	N.A	*
KEYBOARD TRAY	Type of keyboard tray	N.A	*
	Material of keyboard tray and Right angle L-type supporting bracket	N.A	*
	Keyboard adjustability	N.A	*
	fixing of supporting bracket	N.A	*
	Length of telescopic channel±10mm	N.A	*
	Average weight of telescopic channel ±50Gms	N.A	*
	Keyboard front width±10mm	N.A	*
	Keyboard depth±10mm	N.A	*
	Keyboard height±10mm	N.A	*
	Finish of exposed edges of keyboard tray	N.A	*
	Material thickness of keyboard tray ±1mm	N.A	*
FOOTREST	Material of footrest	N.A	*
	Length of footrest	N.A	*

	±10mm		
	Depth of footrest ±10mm	N.A	*
	Height of footrest ±10mm	N.A	*
	Finish of exposed edges	N.A	*
	<b>Material thickness of footrest ±2mm</b>	N.A	N.A
COLOUR & FINISH	Table top finish	Laminate in colour with matt finish 0.6-0.8mm thickness of type S,F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on other side	*
	Table top shade	Gray	*
WARRANTY	<b>Warrantee period in number of years</b>	1	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
	<b>Product having BIFMA certification</b>	NO	NO
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES	YES
	<b>OEM of offered product is ISO 18001:2007 certified</b>	YES	YES

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	7	45

#### Dressing Table ( 7 pieces )

##### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	<b>Mode of Supply</b>	Knocked Down To Be Assembled At Consignee Site By The Seller	Knocked Down To Be Assembled At Consignee Site By The Seller
	<b>Design of Dressing table</b>	With drawers and cupboard	With drawers and cupboard
	<b>Base of dressing table</b>	Four number buffers at bottom	Four number buffers at bottom
	<b>Number of side mirror</b>	1 number	1 number
	Shape of mirror	Rectangular	*
MATERIAL and MATERIAL THICKNESS	<b>Material specification</b>	Prelaminated particle board of grade II type III of IS 12823/Latest.both side laminated. outer side laminated with shade matching with top shade and fascia shade and having balancing laminate of 0.5mm thick on other side	Prelaminated particle board of grade II type III of IS 12823/Latest.both side laminated. outer side laminated with shade matching with top shade and fascia shade and having balancing laminate of 0.5mm thick on other side
	<b>Material thickness of complete body, Fascia and drawer/cupboard</b>	15	15.0
	<b>Material thickness for back, partition and drawer /cupboard bottom <math>\pm</math> 2mm</b>	19	19.0
	<b>Mirror side frame material thickness<math>\pm</math>2mm</b>	19mm	19mm
	Skirting thickness $\pm$ 2mm	19	*
	All plains panel edge to be bended	With 0.8-1.0mm thick PVC tape with the help of hot melt glue	*
MISC	Number of Drawers	1	*
	Number of cupboards	1	*
	Number of shelves in vertical compartment	N.A	*
	Type of door for cupboard	Hung on side	*
	Openable doors hung on side of the cupboard	With help of auto closing hinges of O cracking overlay type	*
	<b>Length of side mirror</b>	1070 mm	1070 mm
	Width of side mirror	360 mm	*
	Shape of side mirror	Rectangular	*
	Handle for Drawer/cupboard/compartment	Corrosion Resistance Metal	*
	Preservation treatment	YES	*
	Locking system provided	NO	*
	Fixing of channel for drawers	N.A	*

	Length of telescopic channel $\pm 10\text{mm}$	N.A	*
	Average weight of telescopic channel $\pm 15\text{GMs}$	N.A	*
DIMENSION	<b>Overall height of dressing table <math>\pm 10\text{mm}</math></b>	1680	1680.0
	<b>Width of dressing table <math>\pm 10\text{mm}</math></b>	610	610.0
	<b>Depth of dressing table <math>\pm 10\text{mm}</math></b>	460	460.0
	<b>Length of mirror</b>	1070	1070.0
	<b>Width of mirror</b>	380	380.0
	<b>Thickness of mirror</b>	4	4, 6, 8, 10, 12, 14 Or higher
COLOUR AND FINISH	Colour	As per Buyer's choice	*
	Material finish	Swede finish	*
WARRANTY	<b>Warranty period in number of years</b>	1	1, 2, 3 Or higher
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
	<b>Product having BIFMA certification</b>	NO	NO

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008, Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	7	45

#### Restaurant Chair ( 7 pieces )

##### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	<b>Chair Armrest</b>	Without	Without
	<b>Type of seat</b>	MDF Board	MDF Board
	<b>Seat Cushion</b>	With	With



	<b>Back Rest Cushion</b>	with	with
	<b>Upholstery</b>	Leatherite	Leatherite
	Shape of Seat	Rectangular	*
MATERIAL	<b>Material of frame</b>	Other wood	Other wood
	Thickness of foam	60 mm	*
	Density of foam in Kg per Cubic Meter	35	*
DIMENSION	<b>Chair height (overall) ±10mm</b>	900mm	900mm
	<b>Backrest width ±10mm</b>	425	425
	<b>Width of seat ±10mm</b>	425	425
	<b>Depth of seat in mm (+/- 10 mm)</b>	550	550
	<b>Height of seat in mm (+/- 5 mm)</b>	475	475
COLOUR & FINISH	<b>Seat Finish</b>	Cushioned	Cushioned
	Shade of fabric/leather/leatherite	Cream	*
	<b>Exposed Wooden / Metal Parts Finish</b>	Melamine Polish	Melamine Polish
WARRANTY	<b>Warrantee period in number of years</b>	1	1, 2, 3, 4, 5 Or higher
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
	BIFMA certification	NO	*
	OEM of offered product is ISO 9001:2015 certified	YES	*
	OEM of offered product is ISO 14001:2015 certified	YES	*
	OEM of offered product is ISO 18001:2007 certified	YES	*

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	7	45

## Sofas ( 1 pieces )

### Technical Specifications

\* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Material	<b>Frame Structure Material and size (<math>\pm 1</math> mm)</b>	18 mm teak plywood	18 mm teak plywood
	<b>Seat Cushion Material</b>	foam	foam
	Density of Cushion of Seat Material $\pm 3$ (Kg/Cubic M)	35	*
	<b>Type of Spring in the Base / Seating</b>	web suspension	web suspension
Generic	<b>Total Number of Seats in the Sofa Set (Nos)</b>	3	3
	Type of Sofa and Backrest	Seat and Backrest are permanently fixed with the frame Structure	*
	<b>Number of Single Seater Units (Nos)</b>	NO SINGLE SEATER UNIT	NO SINGLE SEATER UNIT
	<b>Number of Two Seater Units (Nos)</b>	NO TWO SEATER UNIT	NO TWO SEATER UNIT
	<b>Number of Three Seater Units (Nos)</b>	1	1
	<b>Number of Four Seater Units (Nos)</b>	NO FOUR SEATER UNITS	NO FOUR SEATER UNITS
	<b>Frame Covering</b>	Partially Upholstered	Partially Upholstered
	<b>Sofa Set is Foldable to use as bed</b>	No	No
	Backrest Cushion Material	foam	*
	Density of Cushion of Backrest Material (Kg/Cubic M)	28	*
	<b>Covering Material for Seat and Backrest</b>	Leatherite	Leatherite
Dimension	<b>Length of Single Seater Units in mm (<math>\pm 5</math> mm)</b>	N.A	N.A
	<b>Length of Two Seater Units in mm (<math>\pm 10</math> mm)</b>	N.A	N.A
	<b>Length of Three Seater Units in mm (<math>\pm 10</math> mm)</b>	1750	1750
	<b>Length of Four Seater Units in mm (<math>\pm 10</math> mm)</b>	N.A	N.A
	<b>Depth of Sofa Units in</b>	950	950

<b>mm (<math>\pm 10</math> mm)</b>			
<b>Sofa Height (Without Back Cushion) <math>\pm 5</math> (mm)</b>	470	470.0	
<b>Sofa Height (With Back Cushion) <math>\pm 5</math> mm</b>	830	830.0	
Arm Width $\pm 5$ (mm)	65	*	
Arm Height $\pm 5$ (mm)	590	*	
Seat Height (With Seat Cushion) $\pm 5$ (mm)	470	*	
Sofa Leg Height $\pm 2$ (mm)	150	*	
Sofa Leg Width / Diameter $\pm 2$ (mm)	50	*	
<b>Seat Cushion Length <math>\pm 5</math> (mm)</b>	1760	1760	
<b>Seat Cushion Width <math>\pm 5</math> (mm)</b>	560	560	
<b>Seat Cushion Thickness <math>\pm 5</math> (mm)</b>	100	100	
<b>Backrest Cushion Length <math>\pm 5</math> (mm)</b>	1755	1755	
<b>Backrest Cushion Width <math>\pm 5</math> (mm)</b>	415	415	
Backrest Cushion Thickness $\pm 3$ (mm)	75	*	
Thickness of Foam in arms $\pm 2$ (mm)	N.A	*	
Thickness of Foam in back $\pm 2$ (mm)	101	*	
Thickness of Foam in front $\pm 2$ (mm)	15	*	
Thickness of Foam in sides $\pm 2$ (mm)	10	*	
Colour & Finish	Colour of Polish on exposed Wood frame	dark brown	*
	Colour of Covering Material	brown	*
Warranty	<b>WARRANTY PERIOD IN NUMBER OF YEARS</b>	1	1

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For	1	45

Delivery Status: 020 2590 8169  
 For Payment Status: 020 2590  
 8180/8452

## Sofas ( 2 pieces )

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Material	<b>Frame Structure Material and size (<math>\pm 1</math> mm)</b>	18 mm teak plywood	18 mm teak plywood
	<b>Seat Cushion Material</b>	foam	foam
	Density of Cushion of Seat Material $\pm 3$ (Kg/Cubic M)	35	*
	<b>Type of Spring in the Base / Seating</b>	web suspension	web suspension
Generic	<b>Total Number of Seats in the Sofa Set (Nos)</b>	1	1
	Type of Sofa and Backrest	Seat and Backrest are permanently fixed with the frame Structure	*
	<b>Number of Single Seater Units (Nos)</b>	1	1
	<b>Number of Two Seater Units (Nos)</b>	NO TWO SEATER UNIT	NO TWO SEATER UNIT
	<b>Number of Three Seater Units (Nos)</b>	NO THREE SEATER UNIT	NO THREE SEATER UNIT
	<b>Number of Four Seater Units (Nos)</b>	NO FOUR SEATER UNITS	NO FOUR SEATER UNITS
	<b>Frame Covering</b>	Partially Upholstered	Partially Upholstered
	<b>Sofa Set is Foldable to use as bed</b>	No	No
	Backrest Cushion Material	foam	*
	Density of Cushion of Backrest Material (Kg/Cubic M)	28	*
	<b>Covering Material for Seat and Backrest</b>	Leatherite	Leatherite
Dimension	<b>Length of Single Seater Units in mm (<math>\pm 5</math> mm)</b>	935	935
	<b>Length of Two Seater Units in mm (<math>\pm 10</math> mm)</b>	N.A	N.A
	<b>Length of Three Seater Units in mm (<math>\pm 10</math> mm)</b>	N.A	N.A
	<b>Length of Four Seater</b>	N.A	N.A

	<b>Units in mm (<math>\pm 10</math> mm)</b>		
	<b>Depth of Sofa Units in mm (<math>\pm 10</math> mm)</b>	950	950
	<b>Sofa Height (Without Back Cushion) <math>\pm 5</math> (mm)</b>	470	470.0
	<b>Sofa Height (With Back Cushion) <math>\pm 5</math> mm</b>	830	830.0
	Arm Width $\pm 5$ (mm)	65	*
	Arm Height $\pm 5$ (mm)	590	*
	Seat Height (With Seat Cushion) $\pm 5$ (mm)	470	*
	Sofa Leg Height $\pm 2$ (mm)	150	*
	Sofa Leg Width / Diameter $\pm 2$ (mm)	50	*
	<b>Seat Cushion Length <math>\pm 5</math> (mm)</b>	910	910
	<b>Seat Cushion Width <math>\pm 5</math> (mm)</b>	560	560
	<b>Seat Cushion Thickness <math>\pm 5</math> (mm)</b>	100	100
	<b>Backrest Cushion Length <math>\pm 5</math> (mm)</b>	940	940
	<b>Backrest Cushion Width <math>\pm 5</math> (mm)</b>	415	415
	Backrest Cushion Thickness $\pm 3$ (mm)	75	*
	Thickness of Foam in arms $\pm 2$ (mm)	N.A	*
	Thickness of Foam in back $\pm 2$ (mm)	101	*
	Thickness of Foam in front $\pm 2$ (mm)	15	*
	Thickness of Foam in sides $\pm 2$ (mm)	10	*
Colour & Finish	Colour of Polish on exposed Wood frame	dark brown	*
	Colour of Covering Material	brown	*
Warranty	<b>WARRANTY PERIOD IN NUMBER OF YEARS</b>	1	1

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science	2	45

Education and Research, Pune  
(IISER) Dr.Homi Bhabha Road ,  
Pashan, Pune Email:  
purchase@iiserpune.ac.in For  
Delivery Status: 020 2590 8169  
For Payment Status: 020 2590  
8180/8452

## Bed Side Table ( 14 pieces )

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	<b>Top material of bedside table</b>	Three layer prelaminate particles board(Wood Product) of grade II Type II of IS 12823/Latest	Three layer prelaminate particles board(Wood Product) of grade II Type II of IS 12823/Latest
	<b>Side,Back,Front and Bottom material of bedside table</b>	Flat Single Layer MDF Board Of Grade SBG II Of IS 12406/Latest	Flat Single Layer MDF Board Of Grade SBG II Of IS 12406/Latest
	<b>Drawer material</b>	Commercial Board	Commercial Board
	Material of leg	No leg-supported by external sides	*
	Shoes Material	Nylon	*
GENERIC	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller	*
	<b>Type of Bedside table</b>	Modular type(with two drawers)	Modular type(with two drawers)
	Frame type	Free standing	*
DIMENSION & THICKNESS	<b>Thickness of table top (<math>\pm 2</math>mm except for glass)</b>	19	19.0
	Thickness of Side, Back, Front and Bottom of bedside table $\pm 2$ mm	18	*
	Thickness of Drawer Bottom of bedside table $\pm 1$ mm	19	*
	<b>Dimension of Bedside Table(LxBxH) <math>\pm 5</math>mm</b>	457mmX457mmX457mm	457mmX457mmX457mm
MISC	Table top sides	To be post form half round profile	*
	Table top,side,back and bottom plain sides	Edge manded with PVC tape of 2mm thick of reputed make with the help of hot melt glue	*
	<b>Number of buffers to be provided</b>	4 Numbers At The Bottom	4 Numbers At The Bottom
	Lock provided	N.A	*
	Handle OF Drawers/Compartment made of	Corrosion Resistance Metal	*

	Fixing of channel for drawer	N.A	*
	Length of Telescopic channel $\pm 10$ mm	N.A	*
	Average weight of telescopic channel $\pm 50$ Gms	N.A	*
COLOUR & FINISH	Table top finish	Swede finish	*
	Table top shade	Brown	*
WARRANTY	<b>Warranty period in number of years</b>	1	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
	<b>BIFMA certification</b>	NO	NO
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES	YES
	<b>OEM of offered product is ISO 18001:2007 certified</b>	YES	YES

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008, Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	14	45

#### Revolving Chair ( 25 pieces )

##### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	<b>Pedestal Base</b>	Aluminium Die Cast Chrome Finish With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter	Aluminium Die Cast Chrome Finish With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter
	<b>Arm Material</b>	pu foam bonded chrome coted	pu foam bonded chrome coted

	<b>seat material</b>	PU Foam Covered With pure leatherite	PU Foam Covered With pure leatherite
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	45	*
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	45	*
	<b>Material of Fabric Back Cover / Material for Backrest</b>	Leatherite	Leatherite, N.A
	<b>Material of Fabric of Seat Cover</b>	leatherite	leatherite
	GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	N.A	*
GENERAL	<b>Chair Type</b>	knee tilt synchronic	knee tilt synchronic
	Tilt Tension Adjustment	Yes	*
	<b>Height Adjustment <math>\pm 5</math>(mm)</b>	up to 100 mm	up to 100 mm
	<b>Arm</b>	With	With
	<b>Type of backrest support</b>	backrest symmetrical lumber support	backrest symmetrical lumber support
	<b>Arm Type</b>	Adjustable	Adjustable
	Colour of Fabric for Seat and Backrest	black	*
	<b>Ergonomic Seat Design</b>	Yes	Yes
	<b>Back type</b>	height adjustable	height adjustable
	Backrest is made of two pcs injection moulded frame	Backrest is made of one piece injection moulded frame	*
	<b>backrest has separate adjustable headrest</b>	No	No
	<b>Seat type</b>	sliding	sliding
	Seat is curved	Yes	*
	Locking mechanism	Yes	*
	Type of locking	4-Position Locking	*
	<b>Number of arm movement</b>	2(up & down)	2(up & down)
<b>Lumber support</b>	N.A	N.A	
DIMENSION	<b>Overall Chair Height <math>\pm 15</math>mm</b>	1025	1025
	<b>Backrest Height <math>\pm 15</math>mm</b>	730	730.0
	<b>Backrest Width <math>\pm 10</math>mm</b>	480	480.0
	<b>Seat Height <math>\pm 15</math> mm</b>	480	480
	<b>Seat Width <math>\pm 10</math> mm</b>	500	500
	<b>Seat Depth <math>\pm 10</math> mm</b>	480	480.0



	<b>Thickness of MS Plate Joining the under structure with Seat</b>	1	1.0
	<b>Thickness of Plywood used in Seat ±1(mm)</b>	12 mm	12 mm
	<b>Thickness of Plywood used in Backrest ± 1(mm)</b>	12 mm	12 mm
	Padestal Size (Diameter in mm) +/- 10 mm	650	*
	<b>Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)</b>	55 mm	55 mm
	<b>Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)</b>	45 mm	45 mm
WARANTEE	<b>Warrantee period in number of years</b>	1-year	1-year
CERTIFICATION	<b>Test reports to be furnished to buyer on demand</b>	YES	YES
	<b>BIFMA Certification</b>	NO	NO
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES	YES
	<b>OEM of offered product is ISO 18001:2007 certified</b>	YES	YES
	<b>Green guard certification</b>	NO	NO
	<b>Aiota</b>	-	YES

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	25	45

#### Revolving Chair ( 1 pieces )

##### Technical Specifications

\* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	<b>Pedestal Base</b>	Aluminium Die Cast Chrome Finish With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter	Aluminium Die Cast Chrome Finish With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter
	<b>Arm Material</b>	pu foam bonded chrome coted	pu foam bonded chrome coted
	<b>seat material</b>	PU Foam Covered With pure leatherite	PU Foam Covered With pure leatherite
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	55	*
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	55	*
	<b>Material of Fabric Back Cover / Material for Backrest</b>	Leatherite	Leatherite, N.A
	<b>Material of Fabric of Seat Cover</b>	leatherite	leatherite
	GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	N.A	*
GENERAL	<b>Chair Type</b>	knee tilt synchronic	knee tilt synchronic
	Tilt Tension Adjustment	Yes	*
	<b>Height Adjustment <math>\pm 5</math>(mm)</b>	up to 100 mm	up to 100 mm
	<b>Arm</b>	With	With
	<b>Type of backrest support</b>	backrest symmetrical lumber support	backrest symmetrical lumber support
	<b>Arm Type</b>	Adjustable	Adjustable
	Colour of Fabric for Seat and Backrest	black	*
	<b>Ergonomic Seat Design</b>	Yes	Yes
	<b>Back type</b>	height adjustable	height adjustable
	Backrest is made of two pcs injection moulded frame	Backrest is made of one piece injection moulded frame	*
	<b>backrest has separate adjustable headrest</b>	No	No
	<b>Seat type</b>	sliding	sliding
	Seat is curved	Yes	*
	Locking mechanism	Yes	*
	Type of locking	4-Position Locking	*
<b>Number of arm movement</b>	2(up & down)	2(up & down)	

	<b>Lumber support</b>	N.A	N.A
DIMENSION	<b>Overall Chair Height ±15mm</b>	1025	1025
	<b>Backrest Height ±15mm</b>	730	730.0
	<b>Backrest Width ±10mm</b>	520	520.0
	<b>Seat Height ±15 mm</b>	450	450
	<b>Seat Width ±10 mm</b>	480	480
	<b>Seat Depth ±10 mm</b>	480	480.0
	<b>Thickness of MS Plate Joining the under structure with Seat</b>	1	1.0
	<b>Thickness of Plywood used in Seat ±1(mm)</b>	12 mm	12 mm
	<b>Thickness of Plywood used in Backrest ± 1(mm)</b>	12 mm	12 mm
	Padestal Size (Diameter in mm) +/- 10 mm	650	*
	<b>Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)</b>	50 mm	50 mm
	<b>Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)</b>	40 mm	40 mm
WARANTEE	<b>Warrantee period in number of years</b>	1-year	1-year
CERTIFICATION	<b>Test reports to be furnished to buyer on demand</b>	YES	YES
	<b>BIFMA Certification</b>	NO	NO
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES	YES
	<b>OEM of offered product is ISO 18001:2007 certified</b>	YES	YES
	<b>Green guard certification</b>	NO	NO
	<b>Aiota</b>	-	YES

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

**Consignees/Reporting Officer and Quantity**

--	--	--	--

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	1	45

### Executive Table ( 1 pieces )

#### Technical Specifications

\* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	<b>Mode of supply</b>	Knocked Down To Be Assembled At Consignee Site By The Seller	Knocked Down To Be Assembled At Consignee Site By The Seller
	Frame type	Free standing	*
	Understructure of table	Gable end and modesty panel	*
	<b>Storage provided</b>	One side	One side
	<b>Keyboard tray</b>	Not provided	Not provided
	<b>Foot rest</b>	Not Provided	Not Provided
MATERIAL	<b>Table top Material</b>	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	<b>Gable end and modesty panel material</b>	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	<b>Leg Material</b>	NO LEGS	NO LEGS
MISC	Table top long sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Table top plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Gable end and modesty panel plain side	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Number of buffers provided	4 Nos. at bottom	*
DIMENSION	<b>Thickness of table top ±2 mm</b>	19	19.0
	Thickness of gable end and modesty panel ±2mm	19	*
	<b>Length of table top ±10 mm</b>	900	900.0

	<b>Depth of table ±10 mm</b>	600	600.0
	<b>Height of table ±10 mm</b>	700	700.0
	<b>Dimension of leg(mmXmm) ±5mm</b>	No legs	No legs
STORAGE UNIT	<b>Number of Storage unit provided</b>	Triple storage	Triple storage
	Width of storage unit ±10mm	400mm	*
	Depth of storage unit in mm (±10mm)	600	*
	Height of smallest storage unit ±5mm	130 mm	*
	Height of medium storage unit ±5mm	N.A	*
	Height of largest storage unit ±5mm	230mm	*
KEYBOARD TRAY	Type of keyboard tray	N.A	*
	Material of keyboard tray and Right angle L-type supporting bracket	N.A	*
	Keyboard adjustability	N.A	*
	fixing of supporting bracket	N.A	*
	Length of telescopic channel±10mm	N.A	*
	Average weight of telescopic channel ±50Gms	N.A	*
	Keyboard front width±10mm	N.A	*
	Keyboard depth±10mm	N.A	*
	Keyboard height±10mm	N.A	*
	Finish of exposed edges of keyboard tray	N.A	*
	Material thickness of keyboard tray ±1mm	N.A	*
	FOOTREST	Material of footrest	N.A
Length of footrest ±10mm		N.A	*
Depth of footrest ±10mm		N.A	*
Height of footrest ±10mm		N.A	*
Finish of exposed edges		N.A	*
<b>Material thickness of footrest ±2mm</b>		N.A	N.A
COLOUR & FINISH	Table top finish	Laminate in colour with matt finish 0.6-0.8mm thickness of type S,F or P having index no.3.2.3	*

		conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on other side	
	Table top shade	Dark walnut	*
WARRANTY	<b>Warrantee period in number of years</b>	1	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
	<b>Product having BIFMA certification</b>	NO	NO
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES	YES
	<b>OEM of offered product is ISO 18001:2007 certified</b>	YES	YES

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	1	45

#### Modular Compact Storage Unit ( 1 pieces )

##### Technical Specifications

\* [As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	<b>Number of Shelves</b>	four	four
	<b>MODE OF Supply</b>	Knocked Down to be assembled at consignee site by the Seller	Knocked Down to be assembled at consignee site by the Seller
MATERIAL	<b>Modular compact storage unit top</b>	25 Mm Thickness Three Layer Pre-Laminated Particle Boards Of Grade-II Type II Of IS:12823 Latest	25 Mm Thickness Three Layer Pre-Laminated Particle Boards Of Grade-II Type II Of IS:12823 Latest
	<b>Material for sides, bottom,shelf,shutter of</b>	18 Mm Thick Three Layers Pre-Laminated both side	18 Mm Thick Three Layers Pre-Laminated both side

	<b>the storage unit</b>	Particle Boards Matching With Top Shade In Grade-II Type-III Of IS:12823/Latest	Particle Boards Matching With Top Shade In Grade-II Type-III Of IS:12823/Latest
	<b>Material of pedestal back</b>	12 Mm Thick Prelaminated Particle Board	12 Mm Thick Prelaminated Particle Board
DIMENSION	Width of compact storage unit(+/- 10 MM)	800 MM	*
	Depth of compact storage unit (+/- 10 MM)	450 MM	*
	<b>Height of compact storage unit (+/- 10 MM)</b>	2100 mm	2100 mm
COLOUR & FINISH	Finish of two long side	Laminate In Colour With Swede Finish 0.6-0.8 Mm Thickness Conforming To IS:2046/Latest With Having Balancing Laminate Of 0.5 mm Thick On Other Side	*
	Finish of sides,bottom,shelf,shutter of the storage unit	To Be Edge Banded With 0.8 - 1.0 Mm Thick PVC Tape With The Help Of Hot Melt Glue	*
	Finish shade of outer sides of top,sides & facia	mahogany	*
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
MISC	Frame Type	free standing	*
	Fixing of top	with sides and bottom/skirting using mini fix and wooden dowel by using (knock down) system for interconnecting	*
	Gable end	N.A	*
	Mini fix/dowel gap/wrap age numbers	can be modified	*
	Skirting	N.A	*
	Buffer Provided	Adequate Number At The Bottom	*
	Number of doors	two openable doors of equal width	*
	Fixing of doors	to be hung on side of the storage unit with the help of hinges.	*
	Tower bolt fixing	Two Number S.S. Tower Bolt Of 75-100 mm On Other Door	*
	Modular compact storage unit two long sides	Have Post form half round profile	*
	Number of hinges lock	multipurpose round lock	*
Finish of two Plain sides	have edge banded with PVC tape of 2 mm thick with help of hot melt glue	*	
WARRANTY	<b>Warranty period in number of years</b>	1	1

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan, Pune Email: purchase@iiserpune.ac.in For Delivery Status: 020 2590 8169 For Payment Status: 020 2590 8180/8452	1	45

### Bid Specific Additional Terms and Conditions

1. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
2. After award of contract - Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 10 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 5 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing- the delivery period shall be refixed without LD for the period of delay in approval of Drawing.
3. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Bidders can also submit the EMD with Account Payee Demand Draft in favour of Director indian Institute of science Education and research Pune. payable at Pune. Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.
5. **Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.
6. **Upload Manufacturer authorization:** Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.
7. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
8. Buyer reserves the right to postpone schedule of material supply after finalisation of order by 6 months without any additional cost implication.
9. Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.
10. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
11. Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.
12. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
13. Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.



14. For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:
  - a. Purchase Order copy along with Invoice(s) with self-certification by the bidder that supplies against the invoices have been executed.
  - b. Execution certificate by client with order value.
  - c. Any other document in support of order execution like Third Party Inspection release note, etc.
15. ISO 9001: The bidder must have ISO 9001 certification.
16. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
17. Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.
18. **NET WORTH:** Net Worth of the OEM should be positive as per the last audited financial statement.
19. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
20. Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.
21. Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.
22. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 15 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.
23. The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:
  - (i) Single order of at least 35% of estimated bid value; or
  - (ii) Two orders of at least 20% each of estimated bid value; or
  - (iii) Three orders of at least 15% each of estimated bid value.
 Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion
24. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
- 25.1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
  2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
  3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.
26. Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid
27. Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:
  - i) The Seller fails to comply with any material term of the Contract.
  - ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
  - iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
  - iv) The Seller becomes bankrupt or goes into liquidation.
  - v) The Seller makes a general assignment for the benefit of creditors.

- vi) A receiver is appointed for any substantial property owned by the Seller.
  - vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.
28. To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): ISO 9001:2015, ISO 14001:2015, ISO:45001:2018, ISO:50001:2018  
MANUFACTURER SHOULD BE MEMBER OF BIFMA LEVEL-3 , GREEN GUARD, AIOTA, OHSAS:18001:2007.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---Thank You---**